476

The Scottish Naturalist

Founded 1871

Volume 112 2000

Part Three

Annual Subscription £ 35.00

A Journal of Scottish Natural History

THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

Editorial Committee:

J.A. Gibson

John Hamilton

John C. Smyth

THE SCOTTISH NATURAL HISTORY LIBRARY
Foremount House, Kilbarchan, Renfrewshire PA10 2EZ

The *Scottish Naturalist,* now published by the Scottish Natural History Library, is an independent journal primarily devoted to the study of Scottish natural history. It was founded in 1871 by Dr. F. Buchanan White, of Perthshire, and in 1988 completed one hundred years of publication. For a summary of the record of publication, see the inside back cover.

Although the journal's main interests have always centred on the history and distribution of Scottish fauna and flora, it is prepared to publish contributions on the many aspects of Scottish natural science embraced by its title, including Zoology, Botany, Geology, History, Geography, Medicine and the allied sciences, Archaeology, and the Environment.

All papers and notes for publication, or books for review, should be sent to the Editors at the Scottish Natural History Library, Foremount House, Kilbarchan, Renfrewshire PA10 2EZ.

Contributions should be clearly written; whenever possible they should be typed, double-spaced, on one side of the paper, with adequate margins, and should try to conform to the general style and arrangement of papers and notes in the current number of the journal. Maps, diagrams and graphs should be drawn in black ink on white unlined paper. Photographs should be on glossy paper. Proofs of all contributions will be sent to authors and should be returned without delay.

Authors of papers, but not of short notes, will receive thirty reprints in covers free of charge. Additional reprints may be ordered, at cost, when the proofs are returned.

The *Scottish Naturalist* is usually published three times a year. The standard annual subscription is £35.00, which should be sent to the Editors at the Library address. Members of recognised natural history organisations, however, can receive the *Scottish Naturalist* at a greatly reduced subscription; for details apply to the Editors.

31 DEC 2002
GENERAL LIBRARY

THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History* and *The Western Naturalist*

112th Year 2000

CONTENTS

2000 - Part 3

Vertebrate Zoology in the Scottish Naturalist
Part 3: 1901-1925
3a: *Annals of Scottish Natural History* 1901-1911
By Dr. J.A. Gibson 75-154

Title-Page and List of Contents 155-157

Published by The Scottish Natural History Library

XX(35-608 1)

EDITORS

J.A. Gibson

John Hamilton

John C. Smyth

All items for publication should be sent to the Editors at

The Scottish Natural History Library

Foremount House, Kilbarchan, Renfrewshire PA10 2EZ

ISSN 0268-3385

The *Scottish Naturalist* is the national journal of Scottish natural history. It was founded in 1871 by Dr. F. Buchanan White, of Perthshire, and in 1988 completed one hundred years of publication. The journal exists to provide a medium for the publication of original work on all aspects of Scottish natural science. All contributions, however, represent the personal opinions of the authors concerned, and do not necessarily reflect the views of the Editors of the *Scottish Naturalist.*

Published by

THE SCOTTISH NATURAL HISTORY LIBRARY

VERTEBRATE ZOOLOGY IN THE SCOTTISH NATURALIST

A Classified Index of all Contributions on Vertebrate Zoology in the *Scottish Naturalist* from its Commencement in 1871 to the end of the Year 2000

Part 3: 1901-1925

3a: *Annals of Scottish Natural History* 1901-1911

By J.A. GIBSON
Representative for Scotland,
Society for the History of Natural History

This third part of the survey of the contributions on vertebrate zoology in the *Scottish Naturalist* covers the first twenty-five years of the 20th century, from 1901 to 1925. The first two parts dealt with the Introduction (Gibson, 1998a) and the thirty years from the commencement of the journal in 1871 until 1900 (Gibson, 1998b).

The first quarter of the 20th century was a period when activity in the recording of new information and discoveries about the distribution of the Scottish fauna was particularly intense; in fact the pages of the national journal from 1901 to 1925 contain over 2,000 items. In view of the size of this contribution it has been decided to divide the section into two parts, and the obvious demarcation comes at the end of 1911, when the journal's name of the *Annals of Scottish Natural History* was changed and the original name of the *Scottish Naturalist* was restored.

From 1892 to 1911 the *Annals of Scottish Natural History*, published four times each year in January, April, July and October (not initially three times a year as incorrectly stated in the 1948 editorial), prospered under the benevolent ownership of Dr. J.A. Harvie-Brown, with the remarkably talented editorial partnership of J.A. Harvie-Brown, James W.H. Trail and William Eagle Clarke.

At the end of 1911 Harvie-Brown, largely because of increasingly failing health, gave up the ownership of the journal, which passed to Messrs Oliver and Boyd in 1912. The journal's original name of the *Scottish Naturalist* was restored, and the journal was published monthly from 1912 until the end of 1918, when it was

published bi-monthly until it temporarily ceased publication in 1939 for the duration of the second world war.

This section, from 1901 to 1911, therefore covers the last years of the *Annals of Scottish Natural History*. The second section, the years of the *Scottish Naturalist* from 1912 to 1925, will follow in Volume 113 (2001).

As before, in this section from 1901 to 1925 all items are listed in chronological order, and are referenced by name of journal, year of publication, and pagination; no volume numbers were actually issued from 1892 to 1939.

References

Gibson, J.A. (1998a). Vertebrate zoology in the *Scottish Naturalist*. Part 1: Introduction. *Scottish Naturalist*, **110**: 3-11.

Gibson, J.A. (1998b). Vertebrate zoology in the *Scottish Naturalist*. Part 2: 1871-1900. *Scottish Naturalist*, **110**: 109-205.

1901-1925

Annals of Scottish Natural History 1901-1911

Chronological List
Pages 77-142

Faunal Area Distribution
Pages 143-154

1009 **Barrett-Hamilton, G.H.** (1901). Note in local variation in the Common Hedgehog. *Annals of Scottish Natural History,* **1901**: 2-3.
Class: Mamm
Area: Gen FO

1010 **Taylor, W.** (1901). Notes on *Prodelphinus* and other dolphins in Scottish waters. *Annals of Scottish Natural History,* **1901**: 3-4.
Class: Mamm
Area: CL TA MO OH SH

1011 **Clarke, W.E. and Laidlaw, T.G.** (1901). On some migratory and other birds observed in southern Shetland in September 1900. *Annals of Scottish Natural History,* **1901**: 5-12.
Class: Bird
Area: SH

1012 **Evans, W.** (1901). Notes on the White Wagtail (*Motacilla alba*, L.) in the south-east of Scotland. *Annals of Scottish Natural History,* **1901**: 12-15.
Class: Bird
Area: FO

1013 **Saunders, H.** (1901). Notes on the Great Shearwater. *Annals of Scottish Natural History,* **1901**: 15-18.
Class: Bird
Area: Gen

1014 **Harvie-Brown, J.A.** (1901). Notes on British Salmonidae. *Annals of Scottish Natural History,* **1901**: 18-24, 82-92.
Class: Fish
Area: Gen TW CL TA DE CS NW AG IH

1015 **Campbell, B.** (1901). Curious behaviour of Field Voles. *Annals of Scottish Natural History,* **1901**: 48-49.
Class: Mamm
Area: Gen FO

1016 **Serle, W.** (1901). Curious variety of the Jackdaw at the Dean, Edinburgh. *Annals of Scottish Natural History,* **1901**: 49.
Class: Bird
Area: FO

1017 **Read, R.H.** (1901). Chiffchaff in Clyde. *Annals of Scottish Natural History,* **1901**: 49.
Class: Bird
Area: CL

1018 **Milne, J.** (1901). Variety of the eggs of the Sedge Warbler. *Annals of Scottish Natural History,* **1901**: 49.
Class: Bird
Area: Gen TA DE

1019 **Macpherson, H.A.** (1901). The Little Stint on the Solway Firth. *Annals of Scottish Natural History,* **1901**: 49-50.
Class: Bird
Area: SO

1020 **Serle, W.** (1901). Sandwich Tern at Peterhead. *Annals of Scottish Natural History,* **1901**: 50.
Class: Bird
Area: DE

1021 **Saunders, H.** (1901). Fulmar breeding at Cape Wrath. *Annals of Scottish Natural History,* **1901**: 50.
Class: Bird
Area: NW SK

1022 **Clarke, W.E.** (1901). Opah or Kingfish in Shetland seas. *Annals of Scottish Natural History,* **1901**: 50-51.
Class: Fish
Area: SH

1023 **Macpherson, H.A.** (1901). The Sturgeon in the Solway Firth. *Annals of Scottish Natural History,* **1901**: 51.
Class: Fish
Area: SO

1024 **Laidlaw, T.G.** (1901). Report on the movements and occurrence of birds in Scotland during 1900. *Annals of Scottish Natural History,* **1901**: 67-79, 134-145.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

1025 **Service, R.** (1901). Zoological notes from Solway. *Annals of Scottish Natural History,* **1901**: 79-81.
Class: Mamm Bird Fish
Area: SO

1026 **MacGillivray, W.L.** (1901). Barred Warbler, Pied Wagtail, Mealy Redpoll, and Snowy Owl in Barra. *Annals of Scottish Natural History,* **1901**: 114-115.
Class: Bird
Area: OH

1027 **Laidlaw, T.G.** (1901). Tree Sparrow in Peeblesshire. *Annals of Scottish Natural History,* **1901**: 115.
Class: Bird
Area: TW

1028 **Gibson, J.D.W.** (1901). Mealy Redpoll in upper Clyde. *Annals of Scottish Natural History,* **1901**: 115.
Class: Bird
Area: CL

1029 **Harvie-Brown, J.A.** (1901). Damages to Pine forests by Crossbills. *Annals of Scottish Natural History,* **1901**: 115-116.
Class: Bird
Area: Gen

1030 **Harvie-Brown, J.A.** (1901). Crested Tit in "Tay". *Annals of Scottish Natural History,* **1901**: 116.
Class: Bird
Area: TA MO

1031 **Buckley, T.E.** (1901). Greenland Falcon, Ivory Gull, and Waxwing in Scotland. *Annals of Scottish Natural History,* **1901**: 116.
Class: Bird
Area: MO NW IH

1032 **Clarke, W.E.** (1901). Scops Owl in Shetland. *Annals of Scottish Natural History,* **1901**: 116-117.
Class: Bird
Area: SH

1033 **Macpherson, H.A.** (1901). Bewick's Swan on the Solway Firth. *Annals of Scottish Natural History,* **1901**: 117.
Class: Bird
Area: SO

1034 **Maxwell, H.** (1901). Nesting of Tufted Duck and Pochard in Wigtownshire. *Annals of Scottish Natural History,* **1901**: 117.
Class: Bird
Area: SO

1035 **Maxwell, H.** (1901). Great Crested and Sclavonian Grebes in Wigtownshire. *Annals of Scottish Natural History,* **1901**: 117-118.
Class: Bird
Area: SO

1036 **Evans, W.** (1901). Natterer's Bat (*Vespertilio nattereri*, Kuhl) in Scotland. *Annals of Scottish Natural History,* **1901**: 129-131.
Class: Mamm
Area: FO

1037 **Clarke, W.E.** (1901). On the occurrence of *Linota rostrata* (Coues), a Greenland Redpoll, in Barra, Outer Hebrides. *Annals of Scottish Natural History,* **1901**: 131-133.
Class: Bird
Area: OH

1038 **Sim, G.** (1901). On the occurrence of the Black Kite (*Milvus migrans*) at Aberdeen. *Annals of Scottish Natural History,* **1901**: 133.
Class: Bird
Area: DE

1039 **Maxwell, H.** (1901). The habits of Salmon. *Annals of Scottish Natural History,* **1901**: 146-154.
Class: Fish
Area: Gen SO TW TA MO CS NW AG

1040 **Watt, H.B.** (1901). Badger in Ayrshire. *Annals of Scottish Natural History,* **1901**: 180.
Class: Mamm
Area: CL

1041 **Henderson, T.** (1901). Smew and other birds in Shetland. *Annals of Scottish Natural History,* **1901**: 181.
Class: Bird
Area: SH

1042 **Godfrey, R.** (1901). Marsh Tit nesting in West Lothian. *Annals of Scottish Natural History,* **1901**: 181.
Class: Bird
Area: FO

1043 **Buchan-Hepburn, A.** (1901). Great Spotted Woodpecker in East Lothian. *Annals of Scottish Natural History,* **1901**: 181.
Class: Bird
Area: FO

1044 **Editorial note.** (1901). [Extension of breeding range of Great Spotted Woodpecker in Scotland]. *Annals of Scottish Natural History,* **1901**: 181.
Class: Bird
Area: Gen TW

1045 **Editorial note.** (1901). Persecution of the Gannet on the Bass Rock. *Annals of Scottish Natural History,* **1901**: 181-182.
Class: Bird
Area: FO

1046 **Macpherson, H.A.** (1901). Bernicle Geese in Perthshire. *Annals of Scottish Natural History,* **1901**: 182.
Class: Bird
Area: TA MO

1047 **Macpherson, H.A.** (1901). Little Gull on the Solway Firth. *Annals of Scottish Natural History,* **1901**: 182
Class: Bird
Area: SO

1048 **Tomison, J.** (1901). Little Gull in Orkney. *Annals of Scottish Natural History,* **1901**: 182-183.
Class: Bird
Area: OR

1049 **Sturrock, C.A.** (1901). On the nesting of the Redstart (*Ruticilla phoenicurus*) and the Willow Wren (*Phylloscopus trochilus*) in Shetland in the spring of 1901. *Annals of Scottish Natural History,* **1901**: 194-196.
Class: Bird
Area: SH

1050 **Marshall, J.M.** (1901). Notes on the birds of the St. Mary's Loch district, Selkirkshire. *Annals of Scottish Natural History,* **1901**: 196-202.
Class: Bird
Area: TW

1051 **Harvie-Brown, J.A.** (1901). Further notes on Salmonidae: a reply to Sir Herbert Maxwell. *Annals of Scottish Natural History,* **1901**: 202-207.
Class: Fish
Area: Gen CL TA MO NW AG

1052 **Service, R.** (1901). Notes on the habits of the Hedgehog. *Annals of Scottish Natural History,* **1901**: 232-233.
Class: Mamm
Area: Gen SO

1053 **Watt, H.B** (1901). Hedgehog in Argyllshire. *Annals of Scottish Natural History,* **1901**: 233-234.
Class: Mamm
Area: AG

1054 **Maxwell, H.** (1901). Badgers in Scotland. *Annals of Scottish Natural History,* **1901**: 234.
Class: Mamm
Area: Gen SO CL MO CS NW

1055 **Watt, H.B.** (1901). Porpoise in Argyllshire waters. *Annals of Scottish Natural History,* **1901**: 234.
Class: Mamm
Area: NW AG IH

1056 **Macpherson, H.A.** (1901). Greenland Falcon in Inverness-shire. *Annals of Scottish Natural History,* **1901**: 234.
Class: Bird
Area: DE MO

1057 **Fowler, M.T.** (1901). Lesser Whitethroat nesting in West Ross-shire. *Annals of Scottish Natural History,* **1901**: 234.
Class: Bird
Area: NW

1058 **Campbell, C.** (1901). The breeding of the Great Spotted Woodpecker in the south of Scotland. *Annals of Scottish Natural History,* **1901**: 234-235.
Class: Bird
Area: TW FO

1059 **Evans, W.** (1901). Great Spotted Woodpecker breeding in Midlothian. *Annals of Scottish Natural History,* **1901**: 235.
Class: Bird
Area: FO

1060 **Godfrey, R.** (1901). Great Spotted Woodpecker nesting in Midlothian. *Annals of Scottish Natural History,* **1901**: 235-236.
Class: Bird
Area: FO

1061 **Renton, W.** (1901). Great Spotted Woodpecker breeding near Hawick. *Annals of Scottish Natural History,* **1901**: 236.
Class: Bird
Area: TW

1062 **Buchan-Hepburn, A.** (1901). Ring Dove nesting on the ground. *Annals of Scottish Natural History,* **1901**: 236.
Class: Bird
Area: Gen FO

1063 **Buckley, T.E.** (1901). Pintail in Caithness. *Annals of Scottish Natural History,* **1901**: 236.
Class: Bird
Area: CS

1064 **Evans, W.** (1901). The Spotted Crake in East Lothian. *Annals of Scottish Natural History,* **1901**: 236-237.
Class: Bird
Area: FO

1065 **MacGillivray, W.L.** (1901). Lesser Tern nesting at Barra. *Annals of Scottish Natural History,* **1901**: 237.
Class: Bird
Area: OH

1066 **Raeburn, H.** (1901). Red-necked Phalarope in the Firth of Forth. *Annals of Scottish Natural History,* **1901**: 237.
Class: Bird
Area: FO

1067 **Duthie, R.** (1901). Porbeagle Shark in Clyde waters. *Annals of Scottish Natural History,* **1901**: 237.
Class: Fish
Area: CL

1068 **Campbell, C.** (1902). The Starling roost on Cramond Island. *Annals of Scottish Natural History,* **1902**: 2-9.
Class: Bird
Area: FO

1069 **Gunnis, F.G.** (1902). On the occurrence of the Carolina Crake [*Porzana carolina* (Linn.)] in the Island of Tiree. *Annals of Scottish Natural History,* **1902**: 9-10.
Class: Bird
Area: AG IH

1070 **Traquair, R.H.** (1902). On a Scottish specimen of the Black-Fish [*Centrolophus niger* (Gmelin)]. *Annals of Scottish Natural History,* **1902**: 10-13.
Class: Fish
Area: FO

1071 **Sim, G.** (1902). Occurrence of *Centrophorus ringens* in British waters. *Annals of Scottish Natural History,* **1902**: 13.
Class: Fish
Area: OH

1072 **Harvie-Brown, J.A.** (1902). Notes on Salmonidae. *Annals of Scottish Natural History,* **1902**: 14-21.
Class: Fish
Area: Gen CL CS NW AG

1073 **Campbell, J.M.** (1902). Hedgehog in Argyllshire. *Annals of Scottish Natural History,* **1902**: 50.
Class: Mamm
Area: CL AG

1074 **Taylor, W.** (1902). Bottle-nosed Dolphins in the Moray Firth. *Annals of Scottish Natural History,* **1902**: 51-52.
Class: Mamm
Area: MO

1075 **Henderson, T.** (1902). Notes on migratory birds observed in southern Shetland. *Annals of Scottish Natural History,* **1902**: 52.
Class: Bird
Area: SH

1076 **Harvie-Brown, J.A.** (1902). Waxwing in the Outer Hebrides. *Annals of Scottish Natural History,* **1902**: 52.
Class: Bird
Area: OH

1077 **Editorial note.** (1902). Waxwings in Scotland. *Annals of Scottish Natural History,* **1902**: 52-53.
Class: Bird
Area: FO TA MO

1078 **Macpherson, H.A** (1902). The Siskin in Perthshire. *Annals of Scottish Natural History,* **1902**: 53.
Class: Bird
Area: TA

1079 **Evans, W.** (1902). Siskins in the Edinburgh district. *Annals of Scottish Natural History,* **1902**: 53.
Class: Bird
Area: FO

1080 **Buckley, T.E.** (1902). Stock Dove in Caithness. *Annals of Scottish Natural History,* **1902**: 53.
Class: Bird
Area: CS

1081 **Harvie-Brown, J.A.** (1902). Grouse in Shetland. *Annals of Scottish Natural History,* **1902**: 53-54.
Class: Bird
Area : SH

1082 **Harvie-Brown, J.A.** (1902). Grey Phalarope at Montrose. *Annals of Scottish Natural History,* **1902**: 54.
Class: Bird
Area: TA

1083 **Harvie-Brown, J.A.** (1902). Great Snipe in Shetland. *Annals of Scottish Natural History,* **1902**: 54.
Class: Bird
Area: SH

1084 **Bell, R.B.** (1902). Occurrence of the Great Snipe in Orkney. *Annals of Scottish Natural History,* **1902**: 54.
Class: Bird
Area: OR

1085 **Editorial note.** (1902). [Great Snipe and Jack Snipe shot near Castle Douglas]. *Annals of Scottish Natural History,* **1902**: 54.
Class: Bird
Area: SO

1086 **Paterson, J. and Robinson [Robertson], J.** (1902). Ruff (*Machetes pugnax*) in east Renfrewshire. *Annals of Scottish Natural History,* **1902**: 55.
Class: Bird
Area: CL

1087 **MacRury, J.** (1902). Green Sandpiper in the Outer Hebrides. *Annals of Scottish Natural History,* **1902**: 55.
Class: Bird
Area: OH

1088 **Lillie, R.** (1902). Striped Wrasse off Caithness coast. *Annals of Scottish Natural History,* **1902**: 55.
Class: Fish
Area: CS

1089 **Evans, W.** (1902). Yarrell's Blenny on the beach at Portobello. *Annals of Scottish Natural History,* **1902**: 55.
Class: Fish
Area: FO

1090 **Campbell, J.M.** (1902). Porbeagle Shark in Clyde waters. *Annals of Scottish Natural History,* **1902**: 55.
Class: Fish
Area: CL

1091 **Laidlaw, T.G.** (1902). Report on the movements and occurrence of birds in Scotland during 1901. *Annals of Scottish Natural History,* **1902**: 66-82, 129-136, 193-199.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH OL SH

1092 **Harvie-Brown, J.A.** (1902-03). On the avifauna of the Outer Hebrides, 1888-1902. *Annals of Scottish Natural History,* **1902**: 83-91, 136-151, 199-217; **1903**: 7-22.
Class: Mamm Bird
Area: OH SK OL OR

1093 **Leighton, G.R.** (1902). The serpents of Scotland and their study. *Annals of Scottish Natural History,* **1902**: 92-97.
Class: Rept
Area: Gen SO TW CL FO TA DE MO CS NW AG IH

1094 **Traquair, R.H.** (1902). Albino Shrew in Banffshire. *Annals of Scottish Natural History,* **1902**: 117.
Class: Mamm
Area: MO

1095 **Godfrey, R.** (1902). Hedgehog in Argyllshire. *Annals of Scottish Natural History,* **1902**: 117.
Class: Mamm
Area: CL AG

1096 **Turner, W.** (1902). Occurrence of the Harp Seal in the north of Shetland. *Annals of Scottish Natural History,* **1902**: 117.
Class: Mamm
Area: OH SH

1097 **Laidlaw, T.G.** (1902). Goldfinch in King's Park, Edinburgh. *Annals of Scottish Natural History,* **1902**: 117-118.
Class: Bird
Area: FO

1098 **Clarke, W.E.** (1902). Further occurrence of Greenland Redpolls in Barra, Outer Hebrides. *Annals of Scottish Natural History,* **1902**: 118.
Class: Bird
Area: OH

1099 **Clarke, W.E.** (1902). Wheatear capturing a moth on the wing. *Annals of Scottish Natural History,* **1902**: 118.
Class: Bird
Area: Gen CS NW

1100 **Evans, W.** (1902). Waxwing in Edinburgh. *Annals of Scottish Natural History,* **1902**: 118-119.
Class: Bird
Area: FO

1101 **Bisshopp, C.H.** (1902). Great Spotted Woodpecker in Argyllshire. *Annals of Scottish Natural History,* **1902**: 119.
Class: Bird
Area: AG

1102 **Inkster, A.** (1902). The occurrence of Tengmalm's Owl in Shetland. *Annals of Scottish Natural History,* **1902**: 119.
Class: Bird
Area: SH

1103 **Sim. G.** (1902). The Little Owl in Kincardineshire. *Annals of Scottish Natural History,* **1902**: 119.
Class: Bird
Area: DE

1104 **Sim, G.** (1902). The Black Kite in the Peterhead Museum. *Annals of Scottish Natural History,* **1902**: 119.
Class: Bird
Area: Gen DE

1105 **Sim, G.** (1902). Honey Buzzards in Aberdeenshire. *Annals of Scottish Natural History,* **1902**: 120.
Class: Bird
Area: DE

1106 **Marshall, J.M.** (1902). Grey-lag Geese in Wigtownshire. *Annals of Scottish Natural History,* **1902**: 120.
Class: Bird
Area: SO

1107 **Marshall, J.M.** (1902). Bean Goose in Galloway. *Annals of Scottish Natural History,* **1902**: 120.
Class: Bird
Area: SO

1108 **Renton, W.** (1902). Pintail breeding in Selkirkshire. *Annals of Scottish Natural History,* **1902**: 120.
Class: Bird
Area: TW

1109 **McElfrish, A.** (1902). Snipe flocking in Benbecula. *Annals of Scottish Natural History,* **1902**: 120-121.
Class: Bird
Area: OH

1110 **Clarke, W.E.** (1902). Common Tern nesting in the Shetland Islands. *Annals of Scottish Natural History,* **1902**: 121.
Class: Bird
Area: SH

1111 **Clarke, W.E.** (1902). Adder taking to water. *Annals of Scottish Natural History,* **1902**: 121.
Class: Rept
Area: Gen NW

1112 **Sim, G.** (1902). Spanish Bream on the Kincardine coast. *Annals of Scottish Natural History,* **1902**: 121.
Class: Fish
Area: DE

1113 **Sim, G.** (1902). Black Fish in the North Sea off Aberdeen. *Annals of Scottish Natural History,* **1902**: 121-122.
Class: Fish
Area: DE

1114 **Traquair, R.H.** (1902). Three-bearded Rockling in Shetland. *Annals of Scottish Natural History,* **1902**: 122.
Class: Fish
Area: SH

1115 **Editorial note.** (1902). *Spinax niger* and *Chimaerae monstrosa* in the Pentland Firth. *Annals of Scottish Natural History,* **1902**: 122.
Class: Fish
Area: CS OR

1116 **Taylor, W.** (1902). Greenland Shark in the Moray Firth. *Annals of Scottish Natural History,* **1902**: 123.
Class: Fish
Area: MO

1117 **Hinxman, L.W.** (1902). Notes on the Common Adder in the Highlands. *Annals of Scottish Natural History,* **1902**: 151-153.
Class: Rept
Area: Gen TA MO CS NW

1118 **Service, R.** (1902). The Adder in Solway. *Annals of Scottish Natural History,* **1902**: 153-162.
Class: Rept
Area: Gen SO

1119 **Rodger, A.M.** (1902). Harp Seal in the Tay. *Annals of Scottish Natural History,* **1902**: 182-183.
Class: Mamm
Area: TA

1120 **Henderson, T.** (1902). Bird notes from southern Shetland. *Annals of Scottish Natural History,* **1902**: 183.
Class: Bird
Area: SH

1121 **Watt. H.B.** (1902). Snow Bunting in Argyllshire in summer. *Annals of Scottish Natural History,* **1902**: 183.
Class: Bird
Area: CL AG

1122 **Paterson, J.** (1902). Fulmar, Rough-legged Buzzard, and Stock-Dove in Ayrshire. *Annals of Scottish Natural History,* **1902**: 183-184.
Class: Bird
Area: CL

1123 **Buckley, T.E.** (1902). Osprey in the Outer Hebrides. *Annals of Scottish Natural History,* **1902**: 184.
Class: Bird
Area: OH

1124 **McElfrish, A.** (1902). Curious experience with a Heron. *Annals of Scottish Natural History,* **1902**: 184.
Class: Bird
Area: Gen OH

1125 **Buckley, T.E.** (1902). Pintail in Caithness-shire. *Annals of Scottish Natural History,* **1902**: 184.
Class: Bird
Area: CS

1126 **Godfrey, R.** (1902). Pintail in Perth and in Fife. *Annals of Scottish Natural History,* **1902**: 184-185.
Class: Bird
Area: FO TA

1127 **Rodger, A.M.** (1902). Black Terns on the Tay. *Annals of Scottish Natural History,* **1902**: 185.
Class: Bird
Area: TA

1128 **Macdonald, D.** (1902). Tameness of the Iceland Gull in Mull. *Annals of Scottish Natural History,* **1902**: 185.
Class: Bird
Area: Gen AG IH

1129 **Milne, J.** (1902). Black Adder in Kincardineshire. *Annals of Scottish Natural History,* **1902**: 185.
Class: Rept
Area: DE

1130 **Harvie-Brown, J.A.** (1902). Bass on the west coast of Inverness-shire. *Annals of Scottish Natural History,* **1902**: 185.
Class: Fish
Area: NW

1131 **Bidie, G.** (1902). Notes on the Scottish Adder. *Annals of Scottish Natural History,* **1902**: 217-220.
Class: Rept
Area: Gen CL MO CS IH

1132 **Sim, G.** (1902). Is *Raia radula* of Couch, Thomson, and Yarrell a good species? *Annals of Scottish Natural History,* **1902**: 220-224.
Class: Fish
Area: Gen DE MO CS

1133 **Douglas, W.D.R.** (1902). Bank Voles as garden pests. *Annals of Scottish Natural History,* **1902**: 250.
Class: Mamm
Area: SO

1134 **Dunbar, L.** (1902). Black Mountain Hare in Caithness-shire. *Annals of Scottish Natural History,* **1902**: 250-251.
Class: Mamm
Area: CS

1135 **Service, R.** (1902). Grampuses in the Solway. *Annals of Scottish Natural History,* **1902**: 251.
Class: Mamm
Area: SO

1136 **Irby, L.H.** (1902). Bird notes from the Island of Coll. *Annals of Scottish Natural History,* **1902**: 251-252.
Class: Bird
Area: AG IH

1137 **Campbell, C.** (1902). The Starling roost on Cramond Island. *Annals of Scottish Natural History,* **1902**: 252.
Class: Bird
Area: FO

1138 **Service, R.** (1902). Note on the Swift. *Annals of Scottish Natural History,* **1902**: 252.
Class: Bird
Area: Gen SO

1139 **Henderson T.** (1902). Turtle Dove and Quail in southern Shetland. *Annals of Scottish Natural History,* **1902**: 252.
Class: Bird
Area: SH

1140 **Service, R.** (1902). Scarcity of the Landrail. *Annals of Scottish Natural History,* **1902**: 252.
Class: Bird
Area: SO

1141 **Tait, T.** (1902). Late nesting of the Woodcock. *Annals of Scottish Natural History,* **1902**: 253.
Class: Bird
Area: Gen DE

1142 **Kirk, C.** (1902). Black Terns near Hawick. *Annals of Scottish Natural History,* **1902**: 253.
Class: Bird
Area: TW

1143 **Tait, T.** (1902). Fulmars in Sutherland in the nesting season. *Annals of Scottish Natural History,* **1902**: 253.
Class: Bird
Area: CS

1144 **Service, R.** (1902). Poultry feeding on Slow-Worms [and a mouse]. *Annals of Scottish Natural History,* **1902**: 253.
Class: Mamm Bird Rept
Area: Gen SO

1145 **McElfrish, A.** (1903). The Red Deer of North Uist. *Annals of Scottish Natural History,* **1903**: 4-7.
Class: Mamm
Area: OH

1146 **Clarke, W.E.** (1903). On the occurrence of *Phylloscopus viridanus*, Blyth, and other interesting birds at Scottish light-stations. *Annals of Scottish Natural History,* **1903**: 22-26.
Class: Bird
Area: TW FO DE CS OH OR SH

1147 **Evans, W.** (1903). The Sooty Shearwater, *Puffinus griseus* (Gmel.), in the Firth of Forth. *Annals of Scottish Natural History,* **1903**: 26-28.
Class: Bird
Area: FO

1148 **Bisshopp, C.H.** (1903). Polecat in Ross-shire [and Pine Marten in Argyll]. *Annals of Scottish Natural History,* **1903**: 48.
Class: Mamm
Area: CS NW AG

1149 **Editorial note.** (1903). [Polecats captured in Sutherland]. *Annals of Scottish Natural History,* **1903**: 48.
Class: Mamm
Area: CS

1150 **Kinnear, N.B.** (1903). Crested Tit in lower Strathspey. *Annals of Scottish Natural History,* **1903**: 48-49.
Class: Bird
Area: MO

1151 **Bonar, H.N.** (1903). Nesting of Great Spotted Woodpecker in East Lothian. *Annals of Scottish Natural History,* **1903**: 49.
Class: Bird
Area: FO

1152 **Kirk, C.** (1903). Honey Buzzard in Argyllshire. *Annals of Scottish Natural History,* **1903**: 49.
Class: Bird
Area: CL AG

1153 **Harvie-Brown, J.A.** (1903). Honey Buzzard in Forfarshire. *Annals of Scottish Natural History,* **1903**: 49.
Class: Bird
Area: TA

1154 **Steel, A.** (1903). Glossy Ibis in Roxburghshire. *Annals of Scottish Natural History,* **1903**: 49.
Class: Bird
Area: TW

1155 **Kirk, C.** (1903). Glossy Ibis in Islay. *Annals of Scottish Natural History,* **1903**: 50.
Class: Bird
Area: AG IH

1156 **Service, R.** (1903). Note on migrating wild ducks. *Annals of Scottish Natural History,* **1903**: 50.
Class: Bird
Area: Gen SO

1157 **Service R.** (1903). Velvet Scoter inland. *Annals of Scottish Natural History,* **1903**: 50.
Class: Bird
Area: SO

1158 **Irby, L.H.** (1903). Little Stint in the Island of Coll. *Annals of Scottish Natural History,* **1903**: 50.
Class: Bird
Area: AG IH

1159 **Harvie-Brown, J.A.** (1903). Black-tailed Godwits in Tiree. *Annals of Scottish Natural History,* **1903**: 50-51.
Class: Bird
Area: AG IH

1160 **Rodger, A.M.** (1903). Herring Gull capturing a bat. *Annals of Scottish Natural History,* **1903**: 51.
Class: Mamm Bird
Area: Gen TA

1161 **Service, R.** (1903). Pomatorhine Skua on the Nith. *Annals of Scottish Natural History,* **1903**: 51.
Class: Bird
Area: SO

1162 **Kirk, C.** (1903). Pomatorhine Skua at Loch Lomond. *Annals of Scottish Natural History,* **1903**: 51.
Class: Bird
Area: CL

1163 **Rosa, A.F.** (1903). Note on a young Adder. *Annals of Scottish Natural History,* **1903**: 51-52.
Class: Rept
Area: Gen FO

1164 **Service, R.** (1903). Colour variations in Solway mammals. *Annals of Scottish Natural History,* **1903**: 65-69.
Class: Mamm
Area: SO

1165 **Hinxman, L.W. and Clarke, W.E.** (1903). Additional notes on the vertebrate fauna of West Ross-shire. *Annals of Scottish Natural History,* **1903**: 69-73.
Class: Mamm Bird
Area: NW

1166 **Guthrie, D.** (1903). Notes on birds of South Uist, Outer Hebrides. *Annals of Scottish Natural History,* **1903**: 73-78.
Class: Bird
Area: OH

1167 **Laidlaw, T.G.** (1903). Report on the movements and occurrence of birds in Scotland during 1902. *Annals of Scottish Natural History,* **1903**: 78-89, 144-153, 205-210.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH

1168 **Small, R.** (1903). Melanic Mountain Hare in Roxburghshire. *Annals of Scottish Natural History,* **1903**: 116.
Class: Mamm
Area: TW

1169 **Harvie-Brown, J.A.** (1903). Pine Marten in the Highlands. *Annals of Scottish Natural History,* **1903**: 117.
Class: Mamm
Area: CS NW

1170 **Harvie-Brown, J.A.** (1903). Polecats in the Highlands. *Annals of Scottish Natural History,* **1903**: 117.
Class: Mamm
Area: CS NW

1171 **Kirk, C.** (1903). Cream-coloured Otter in Islay. *Annals of Scottish Natural History,* **1903**: 117.
Class: Mamm
Area: AG IH

1172 **Saxby, T.E.** (1903). Bird notes from north Shetland. *Annals of Scottish Natural History,* **1903**: 117-118.
Class: Bird
Area: SH

1173 **Rodger, A.M.** (1903). A curious incident regarding a Kingfisher. *Annals of Scottish Natural History,* **1903**: 118.
Class: Bird
Area: Gen TA

1174 **Sinclair, R.** (1903). Pale variety of the Shag. *Annals of Scottish Natural History,* **1903**: 118-119.
Class: Bird
Area: Gen OH

1175 **Editorial note.** (1903). [Pale variety of the Shag]. *Annals of Scottish Natural History,* **1903**: 119.
Class: Bird
Area: Gen

1176 **Guthrie, D.** (1903). Canada Geese in the Outer Hebrides. *Annals of Scottish Natural History,* **1903**: 119.
Class: Bird
Area: OH

1177 **Harvie-Brown, J.A.** (1903). Bean Goose in Outer Hebrides. *Annals of Scottish Natural History,* **1903**: 119.
Class: Bird
Area: OH

1178 **Paterson, J.** (1903). Little Gull in Clyde. *Annals of Scottish Natural History,* **1903**: 119.
Class: Bird
Area: CL

1179 **Laidlaw, T.G.** (1903). Supposed occurrence of *Larus melanocephalus* at Perth. *Annals of Scottish Natural History,* **1903**: 119-120.
Class: Bird
Area: TA

1180 **Godfrey, R.** (1903). Richardson's Skua wintering in Shetland. *Annals of Scottish Natural History,* **1903**: 120.
Class: Bird
Area: Gen SH

1181 **Cash, C.G.** (1903). The Loch-an-Eilein Ospreys. *Annals of Scottish Natural History,* **1903**: 129-135.
Class: Bird
Area: MO

1182 **Robertson, J.** (1903). A list of the birds of the Island of Bute. *Annals of Scottish Natural History,* **1903**: 135-144.
Class: Bird
Area: CL

1183 **Harvie-Brown, J.A.** (1903). Martens in the North-West Highlands. *Annals of Scottish Natural History,* **1903**: 183.
Class: Mamm
Area: NW

1184 **Waterston, J.** (1903). Badger in Argyllshire. *Annals of Scottish Natural History,* **1903**: 183-184.
Class: Mamm
Area: CL AG

1185 **Sim, G.** (1903). Harp Seals on the east coast of Scotland. *Annals of Scottish Natural History,* **1903**: 184.
Class: Mamm
Area: DE

1186 **Taylor, W.** (1903). Harp Seals on the east coast of Scotland. *Annals of Scottish Natural History,* **1903**: 184.
Class: Mamm
Area: FO DE

1187 **Editorial comment.** (1903). [Harp Seals on the east coast of Scotland]. *Annals of Scottish Natural History,* **1903**: 184.
Class: Mamm
Area: Gen FO DE

1188 **Bartholomew, J.** (1903). Hawfinch in north Dumfriesshire. *Annals of Scottish Natural History,* **1903**: 184-185.
Class: Bird
Area: FO

1189 **Simpson, A.N. [Milne, J.]** (1903). Great Grey Shrike in Kincardineshire. *Annals of Scottish Natural History,* **1903**: 185, 244.
Class: Bird
Area: DE

1190 **Tait, T.** (1903). Dipper's nest in tree. *Annals of Scottish Natural History,* **1903**: 185.
Class: Bird
Area: Gen DE

1191 **Henderson, T.** (1903). Snowy Owl and spring migrants in southern Shetland. *Annals of Scottish Natural History,* **1903**: 185.
Class: Bird
Area: SH

1192 **Grant, J.** (1903). Greenland Falcon in Orkney. *Annals of Scottish Natural History,* **1903**: 185.
Class: Bird
Area: OR

1193 **Harvie-Brown, J.A.** (1903). Greenland Falcon in the Outer Hebrides. *Annals of Scottish Natural History,* **1903**: 186.
Class: Bird
Area: OH

1194 **Tait, T.** (1903). Wood Pigeon's nest on ground. *Annals of Scottish Natural History,* **1903**: 186.
Class: Bird
Area: Gen DE

1195 **Macleay, W.** (1903). Glossy Ibises in Scotland. *Annals of Scottish Natural History,* **1903**: 186.
Class: Bird
Area: DE MO

1196 **Macleay, W.** (1903). [Hoopoe at Alladale, Ardgay]. *Annals of Scottish Natural History,* **1903**: 186.
Class: Bird
Area: MO

1197 **Tomison, J.** (1903). Crane and other migratory birds at the Pentland Skerries. *Annals of Scottish Natural History,* **1903**: 186-187.
Class: Bird
Area: OR

1198 **Service, R.** (1903). Bird migration in Solway. *Annals of Scottish Natural History,* **1903**: 193-204.
Class: Bird
Area: SO

1199 **Saxby, T.E.** (1903). Bird notes from Unst, Shetland. *Annals of Scottish Natural History,* **1903**: 210-212.
Class: Bird
Area: SH

1200 **Campbell, C.** (1903). Badger at Corstorphine Hill, Edinburgh. *Annals of Scottish Natural History,* **1903**: 243.
Class: Mamm
Area: FO

1201 **Campbell, J.M.** (1903). Note on the Harp Seal. *Annals of Scottish Natural History,* **1903**: 243.
Class: Mamm
Area: FO

1202 **Irby, L.H.** (1903). Notes from Coll. *Annals of Scottish Natural History,* **1903**: 243-244.
Class: Bird
Area: AG IH

1203 **MacGillivray, W.L.** (1903). Crossbills in Barra. *Annals of Scottish Natural History,* **1903**: 244.
Class: Bird
Area: OH

1204 **Editorial note.** (1903). [Crossbills in Faroe and in Shetland]. *Annals of Scottish Natural History,* **1903**: 244.
Class: Bird
Area: SH

1205 **Milne, J.** (1903). Great Grey Shrike in Kincardineshire. *Annals of Scottish Natural History,* **1903**: [185], 244.
Class: Bird
Area: DE

1206 **Watt, H.B.** (1903). Swift nesting on Lochnagar. *Annals of Scottish Natural History,* **1903**: 244.
Class: Bird
Area: DE

1207 **Bonar, H.N.** (1903). Nesting of Great Spotted Woodpecker in East Lothian. *Annals of Scottish Natural History,* **1903**: 245.
Class: Bird
Area: FO

1208 **Simpson, H.D.** (1903). Great Spotted Woodpecker in Roxburghshire. *Annals of Scottish Natural History,* **1903**: 245.
Class: Bird
Area: TW

1209 **Lumsden, J.** (1903). Kingfishers in Islay. *Annals of Scottish Natural History,* **1903**: 245.
Class: Bird
Area: AG IH

1210 **Harvie-Brown, J.A.** (1903). Teal nesting in Lewis. *Annals of Scottish Natural History,* **1903**: 245.
Class: Bird
Area: OH

1211 **Harvie-Brown, J.A.** (1903). Shoveller and Tufted Duck nesting in South Uist. *Annals of Scottish Natural History,* **1903**: 245.
Class: Bird
Area: OH

1212 **Harvie-Brown, J.A.** (1903). Forth - pied Lapwing. *Annals of Scottish Natural History,* **1903**: 245-246.
Class: Bird
Area: FO TA

1213 **Watt, H.B.** (1903). Common Gull breeding at high levels. *Annals of Scottish Natural History,* **1903**: 246.
Class: Bird
Area: Gen TA DE

1214 **Bisshopp, C.H.** (1903). Great Northern Diver and Kingfisher at Coll in July. *Annals of Scottish Natural History,* **1903**: 246.
Class: Bird
Area: AG IH

1215 **Editorial note.** (1903). Swordfish in Loch Fyne. *Annals of Scottish Natural History,* **1903**: 246.
Class: Fish
Area: CL

1216 **Turner, W.** (1904). The occurrence of the Sperm Whale or Cachalot in the Shetland seas. *Annals of Scottish Natural History,* **1904**: 4-11.
Class: Mamm
Area: SH

1217 **Berry, W.** (1904). On the nesting of the Hawfinch in Fifeshire. *Annals of Scottish Natural History,* **1904**: 11-14.
Class: Bird
Area: TA

1218 **Clarke, W.E.** (1904). On the occurrence of the Little Bunting (*Emberiza pusilla*) in Orkney: an addition to the Scottish avifauna. *Annals of Scottish Natural History,* **1904**: 14-16.
Class: Bird
Area: OR

1219 **Tomison, J.** (1904). Sule Skerry, Orkney, and its bird-life. *Annals of Scottish Natural History,* **1904**: 16-26, 91-98.
Class: Bird
Area: OR

1220 **Harvie-Brown, J.A.** (1904). Wild Cat in Argyllshire. *Annals of Scottish Natural History,* **1904**: 53.
Class: Mamm
Area: AG

1221 **Harvie-Brown, J.A.** (1904). Pine Marten in Sutherland. *Annals of Scottish Natural History,* **1904**: 53.
Class: Mamm
Area: CS

1222 **Kirk, C.** (1904). Badger in Linlithgowshire and Stirlingshire. *Annals of Scottish Natural History,* **1904**: 53.
Class: Mamm
Area: CL FO

1223 **Sutherland, J.** (1904). Occurrence of the Great Grey Shrike (*Lanius excubitor*) in Caithness. *Annals of Scottish Natural History,* **1904**: 53.
Class: Bird
Area: CS

1224 **Mackenzie, O.H.** (1904). Occurrence of the Great Grey Shrike (*Lanius excubitor*) in West Ross-shire. *Annals of Scottish Natural History,* **1904**: 53.
Class: Bird
Area: NW

1225 **Muirhead, G.C.** (1904). Occurrence of the Great Grey Shrike (*Lanius excubitor*) in Moray. *Annals of Scottish Natural History,* **1904**: 53.
Class: Bird
Area: MO

1226 **Harvie-Brown, J.A.** (1904). Occurrence of the Great Grey Shrike (*Lanius excubitor*) in Moray. *Annals of Scottish Natural History,* **1904**: 53.
Class: Bird
Area: MO

1227 **Menzies, W.S.** (1904). Occurrence of the Great Grey Shrike (*Lanius excubitor*) in Moray. *Annals of Scottish Natural History,* **1904**: 53.
Class: Bird
Area: MO

1228 **Saxby, T.E.** (1904). Occurrence of the Great Grey Shrike (*Lanius excubitor*) in Shetland. *Annals of Scottish Natural History,* **1904**: 53.
Class: Bird
Area: SH

1229 **Dewar, T.F.** (1904). Waxwing in Forfarshire. *Annals of Scottish Natural History,* **1904**: 53-54.
Class: Bird
Area: TA

1230 **Evans, W.** (1904). Waxwings in the Lothians. *Annals of Scottish Natural History,* **1904**: 54.
Class: Bird
Area: FO

1231 **Paterson, J.** (1904). The Ruby-crowned Wren in Lat. 53.24 N., Long. 30.15 W. *Annals of Scottish Natural History,* **1904**: 55.
Class: Bird
Area: Gen OL

1232 **Muirhead, G.C.** (1904). Black Redstart in Moray. *Annals of Scottish Natural History,* **1904**: 55.
Class: Bird
Area: MO

1233 **Alston, C.H.** (1904). Kingfisher on Loch Leven, Argyllshire. *Annals of Scottish Natural History,* **1904**: 55.
Class: Bird
Area: AG

1234 **Laidlaw, T.G.** (1904). Roller, Glossy Ibis, and Spotted Crake in Perthshire. *Annals of Scottish Natural History,* **1904**: 55.
Class: Bird
Area: TA

1235 **McElfrish, A.** (1904). Rough-legged Buzzard in the Outer Hebrides. *Annals of Scottish Natural History,* **1904**: 55.
Class: Bird
Area: OH

1236 **Evans, W.** (1904). Rough-legged Buzzards in the Lothians, etc. *Annals of Scottish Natural History,* **1904**: 56-57.
Class: Bird
Area: SO FO TA OR

1237 **Harvie-Brown, J.A.** (1904). Heron nesting in the Outer Hebrides. *Annals of Scottish Natural History,* **1904**: 57.
Class: Bird
Area: OH

1238 **Maxwell, H.** (1904). Gadwall in Wigtownshire. *Annals of Scottish Natural History,* **1904**: 57.
Class: Bird
Area: SO

1239 **Maxwell, H.** (1904). Destruction of fish ova by Mergansers. *Annals of Scottish Natural History,* **1904**: 57.
Class: Bird Fish
Area: Gen CS

1240 **Evans, W.** (1904). Black-tailed Godwit in the "Forth" area. *Annals of Scottish Natural History,* **1904**: 57.
Class: Bird
Area: FO

1241 **Bisshopp, C.H.** (1904). Sabine's Gull on the Argyllshire coast. *Annals of Scottish Natural History,* **1904**: 57.
Class: Bird
Area: AG

1242 **Bisshopp, C.H.** (1904). Audacity in Richardson's Skua. *Annals of Scottish Natural History,* **1904**: 57.
Class: Bird
Area: Gen AG IH

1243 **Laidlaw, T.G.** (1904). Large Perch in the River Earn. *Annals of Scottish Natural History,* **1904**: 57-58.
Class: Fish
Area: TA

1244 **Service, R.** (1904). From a Solway notebook. *Annals of Scottish Natural History,* **1904**: 65-71.
Class: Mamm Bird Fish Rept
Area: SO

1245 **Evans, W.** (1904). On the occurrence of the Common Rorqual (*Balaenoptera physalus,*(L.)) in the Firth of Forth. *Annals of Scottish Natural History,* **1904**: 71-74.
Class: Mamm
Area: FO

1246 **Haldane, R.C.** (1904). Whaling in Shetland. *Annals of Scottish Natural History,* **1904**: 74-77.
Class: Mamm
Area: Gen OH SK OL OR SH

1247 **Southwell, T.** (1904). On the whale fishery from Scotland, with some account of the changes in that industry and of the species hunted. *Annals of Scottish Natural History,* **1904**: 77-90.
Class: Mamm
Area: Gen TW CL FO TA DE MO OH SK OL OR SH

1248 **Tulloch, J.S.** (1904). Bat in Shetland. *Annals of Scottish Natural History,* **1904**: 125.
Class: Mamm
Area: SH

1249 **Noble, H.** (1904). Jays in Argyllshire. *Annals of Scottish Natural History,* **1904**: 125-126.
Class: Bird
Area: CL AG

1250 **Tunnard, C.C.** (1904). Hawfinch in East Lothian. *Annals of Scottish Natural History,* **1904**: 126.
Class: Bird
Area: FO

1251 **Serle, W.** (1904). White Wagtail at Peterhead. *Annals of Scottish Natural History,* **1904**: 126.
Class: Bird
Area: FO DE

1252 **Serle, W.** (1904). Late stay of the Swift at Duddingston. *Annals of Scottish Natural History,* **1904**: 126.
Class: Bird
Area: FO DE

1253 **Noble, H.** (1904). Kingfishers in Argyllshire. *Annals of Scottish Natural History,* **1904**: 126.
Class: Bird
Area: CL AG

1254 **Simpson, H.D.** (1904). Great Spotted Woodpecker in Roxburghshire. *Annals of Scottish Natural History,* **1904**: 126-127.
Class: Bird
Area: TW

1255 **Clarke, W.E.** (1904). Glossy Ibis in Orkney. *Annals of Scottish Natural History,* **1904**: 127.
Class: Bird
Area: OR

1256 **Paterson, J. and Robertson, J.** (1904). Gadwall in east Renfrewshire. *Annals of Scottish Natural History,* **1904**: 127.
Class: Bird
Area: CL

1257 **Blathwayt, F.L.** (1904). Great Crested Grebe in west Sutherland. *Annals of Scottish Natural History,* **1904**: 127.
Class: Bird
Area: CS

1258 **Serle, W.** (1904). Little Auk at Duddingston loch. *Annals of Scottish Natural History,* **1904**: 127.
Class: Bird
Area: FO

1259 **Evans, W.** (1904). The Loach (*Nemachilus barbatulus*) in the east of Scotland. *Annals of Scottish Natural History,* **1904**: 127-128.
Class: Fish
Area: FO TA

1260 **Evans, W.** (1904). The Greater Fork-beard (*Phycis blennoides*) off the Firth of Forth. *Annals of Scottish Natural History,* **1904**: 128.
Class: Fish
Area: FO

1261 **Laidlaw, T.G.** (1904). Report on the movements and occurrence of birds in Scotland during 1903. *Annals of Scottish Natural History,* **1904**: 138-150, 207-217.
Class: Bird
Area: SO TW CL FO TA DE MO CS AG IH OH SK OL OR SH

1262 **Kinnear, N.B.** (1904). Notes on some birds observed in the Loch Arkaig district, western Inverness-shire. *Annals of Scottish Natural History,* **1904**: 150-154.
Class: Bird
Area: MO NW AG

1263 **Saxby, T.E.** (1904). On the occurrence of the Hawfinch and other birds in Unst, Shetland. *Annals of Scottish Natural History,* **1904**: 154-157.
Class: Bird
Area: SH

1264 **Editorial comment.** (1904). The persecution of the Great Skua in Shetland. *Annals of Scottish Natural History,* **1904**: 157-158.
Class: Bird
Area: SH

1265 **Harvie-Brown, J.A.** (1904). An old Inverness-shire "vermin" list. *Annals of Scottish Natural History,* **1904**: 185-186.
Class: Mamm Bird
Area: Gen MO NW AG

1266 **Grant, A.** (1904). Long-eared Bat in Moray. *Annals of Scottish Natural History,* **1904**: 186.
Class: Mamm
Area: MO

1267 **Macdonald, D.** (1904). Common Shrew in the Isle of Mull. *Annals of Scottish Natural History,* **1904**: 186.
Class: Mamm
Area: AG IH

1268 **Harvie-Brown, J.A.** (1904). Supposed Wild Cat seen on the tow-path of the Caledonian Canan ("Argyll"). *Annals of Scottish Natural History,* **1904**: 186.
Class: Mamm
Area: MO AG

1269 **Taylor, W.** (1904). Sowerby's Whale on the Aberdeenshire coast. *Annals of Scottish Natural History,* **1904**: 186-187.
Class: Mamm
Area: DE

1270 **Campbell, C.** (1904). Occurrence of the Raven near Cramond. *Annals of Scottish Natural History,* **1904**: 187.
Class: Bird
Area: FO

1271 **Alston, C.H.** (1904). Jays in Argyllshire. *Annals of Scottish Natural History,* **1904**: 187.
Class: Bird
Area: CL AG

1272 **Tomison, J.** (1904). Occurrence of the Hawfinch at Skerryvore lighthouse. *Annals of Scottish Natural History,* **1904**: 187-188.
Class: Bird
Area: AG IH

1273 **Editorial note.** (1904). [Possible status of Hawfinch in Scotland]. *Annals of Scottish Natural History,* **1904**: 188.
Class: Bird
Area: Gen

1274 **Sutherland, J.** (1904). Great Titmouse in Caithness. *Annals of Scottish Natural History,* **1904**: 188.
Class: Bird
Area: CS

1275 **Mackenzie, D.** (1904). Long-tailed Titmouse in the Outer Hebrides. *Annals of Scottish Natural History,* **1904**: 188.
Class: Bird
Area: OH

1276 **Marshall, A.M.** (1904). Late stay of Waxwings in Inverness-shire. *Annals of Scottish Natural History,* **1904**: 188.
Class: Bird
Area: MO

1277 **Gladstone, H.S.** (1904). Pied Flycatcher in Dumfriesshire. *Annals of Scottish Natural History,* **1904**: 188.
Class: Bird
Area: FO

1278 **Editorial note.** (1904). [Passage of Pied Flycatchers on east coast]. *Annals of Scottish Natural History,* **1904**: 188.
Class: Bird
Area: SO

1279 **Mackenzie, D.** (1904). Great Spotted Woodpecker in the Outer Hebrides. *Annals of Scottish Natural History,* **1904**: 188-189.
Class: Bird
Area: OH

1280 **Kay, F.C.L.** (1904). Capercaillie in Argyll. *Annals of Scottish Natural History,* **1904**: 189.
Class: Bird
Area: AG

1281 **Marshall, A.M.** (1904). Gadwall in Moray Firth. *Annals of Scottish Natural History,* **1904**: 189.
Class: Bird
Area: MO

1282 **Harvie-Brown, J.A.** (1904). Eiders in the North-West Highlands. *Annals of Scottish Natural History,* **1904**: 189-190.
Class: Bird
Area: CS NW

1283 **Campbell, C.** (1904). Nesting of Woodcock in Dalmeny Park. *Annals of Scottish Natural History,* **1904**: 190.
Class: Bird
Area: FO

1284 **Harvie-Brown, J.A.** (1904). Woodcock and Snipe nesting in central Scotland. *Annals of Scottish Natural History,* **1904**: 190-192.
Class: Bird
Area: FO

1285 **Godfrey, R.** (1904). Pomatorhine Skua in Ayrshire. *Annals of Scottish Natural History,* **1904**: 192.
Class: Bird
Area: CL

1286 **Barrett-Hamilton, G.E.H.** (1904). The Stoats, *Putorius ermineus* (Linnaeus), of Jura and Islay. *Annals of Scottish Natural History,* **1904**: 203-206.
Class: Mamm
Area: AG IH

1287 **Clarke, W.E.** (1904). On the occurrence of the Short-toed Lark and the Lapland Bunting in the Outer Hebrides. *Annals of Scottish Natural History,* **1904**: 206-207.
Class: Bird
Area: OH

1288 **Editorial comment.** (1904). Important prosecution under the Wild Birds' Protection Acts. *Annals of Scottish Natural History,* **1904**: 223-224.
Class: Bird
Area: Gen SH

1289 **Tait, T.** (1904). An imported Black Rat in "Dee". *Annals of Scottish Natural History,* **1904**: 243.
Class: Mamm
Area: DE

1290 **Harvie-Brown, J.A.** (1904). Jays in Argyll - correction of an error. *Annals of Scottish Natural History,* **1904**: 243-244; [125-126, 187].
Class: Bird
Area: CL AG

1291 **Serle, W.** (1904). Hawfinch at Peterhead. *Annals of Scottish Natural History,* **1904**: 244.
Class: Bird
Area: DE

1292 **Harvie-Brown, J.A.** (1904). Great Grey Shrike in "Forth" [Tay]. *Annals of Scottish Natural History,* **1904**: 244.
Class: Bird
Area: FO TA

1293 **Evans, W.** (1904). Wryneck (*Iynx torquilla*) in East Lothian. *Annals of Scottish Natural History,* **1904**: 244.
Class: Bird
Area: FO

1294 **Marshall, H.B.** (1904). Capercaillie in Peebles-shire. *Annals of Scottish Natural History,* **1904**: 244.
Class: Bird
Area: TW

1295 **Gurney, J.H.** (1904). Marking Gannets at the Bass Rock. *Annals of Scottish Natural History,* **1904**: 245.
Class: Bird
Area: Gen FO

1296 **Robinson, H.W.** (1904). Hobby at Kelso. *Annals of Scottish Natural History,* **1904**: 245.
Class: Bird
Area: TW

1297 **Tulloch, J.S.** (1904). Albino Sea Eagle in Yell, Shetland. *Annals of Scottish Natural History,* **1904**: 245.
Class: Bird
Area: SH

1298 **Editorial note.** (1904). [Protection of the Sea Eagle]. *Annals of Scottish Natural History,* **1904**: 245.
Class: Bird
Area: Gen SH

1299 **Harvie-Brown, J.A.** (1904). The breeding of Woodcocks in 1902 and 1904. *Annals of Scottish Natural History,* **1904**: 245- 246.
Class: Bird
Area: Gen FO

1300 **Gladstone, H.S.** (1904). Woodcock and Snipe in Dumfriesshire. *Annals of Scottish Natural History,* **1904**: 246-247.
Class: Bird
Area: SO

1301 **Pycraft, W.P.** (1904). Killdeer Plover at Peterhead in 1867. *Annals of Scottish Natural History,* **1904**: 247.
Class: Bird
Area: DE

1302 **Harvie-Brown, J.A.** (1904). Whimbrels in "Forth". *Annals of Scottish Natural History,* **1904**: 247.
Class: Bird
Area: FO

1303 **Macdonald, D.** (1904). Late appearance of the Iceland Gull on the coast of Mull. *Annals of Scottish Natural History,* **1904**: 247-248.
Class: Bird
Area: AG IH

1304 **Maxwell, H.** (1904). *Salmo fario* v. *Salmo salar*. *Annals of Scottish Natural History,* **1904**: 248.
Class: Fish
Area: Gen CS

1305 **Mackenzie, J.** (1904). *Chimaera monstrosa* in Hebridean seas. *Annals of Scottish Natural History,* **1904**: 248.
Class: Fish
Area: OH

1306 **Clarke, W.E. and Bradley, O.C.** (1905). On the Vole and Shrew of the Orkney Islands. *Annals of Scottish Natural History,* **1905**: 1-8, [117].
Class: Mamm
Area: OR

1307 **Clarke, W.E.** (1905). The birds of the Flannan Islands; Outer Hebrides. *Annals of Scottish Natural History,* **1905**: 8-19; 80-86.
Class: Bird
Area: OH OL

1308 **Harting, J.E.** (1905). Scottish lists of vermin. *Annals of Scottish Natural History,* **1905**: 51-52.
Class: Mamm Bird
Area: Gen DE MO

1309 **Harvie-Brown, J.A.** (1905). [Scottish lists of vermin - additional note]. *Annals of Scottish Natural History,* **1905**: 52.
Class: Mamm Bird
Area: Gen MO

1310 **Millais, J.G.** (1905). On the first occurrence of the Noctule in Scotland. *Annals of Scottish Natural History,* **1905**: 52.
Class: Mamm
Area: Gen TA

1311 **Alston, C.H.** (1905). Bank Vole and Water Shrew in Argyllshire. *Annals of Scottish Natural History,* **1905**: 52-53.
Class: Mamm
Area: CL NW AG

1312 **Rintoul, L.J. and Baxter, E.V.** (1905). Pied Flycatchers and Ivory Gull in Fife. *Annals of Scottish Natural History,* **1905**: 53.
Class: Bird
Area: FO

1313 **Brown, H.H.** (1905). Kingfisher in Fife. *Annals of Scottish Natural History,* **1905**: 53.
Class: Bird
Area: TA

1314 **Maxwell, H.** (1905). Naturalisation of the Golden Pheasant. *Annals of Scottish Natural History,* **1905**: 53-54.
Class: Bird
Area: Gen CL FO

1315 **Robertson, J.** (1905). Shoveller, Grey Plover, Greenshank, and Great Northern Diver in Bute. *Annals of Scottish Natural History,* **1905**: 54.
Class: Bird
Area: CL

1316 **Whyte, R.B.** (1905). Shoveller in the Firth of Forth. *Annals of Scottish Natural History,* **1905**: 54.
Class: Bird
Area: FO

1317 **Henderson, J.T.** (1905). Eiders in the North-West Highlands. *Annals of Scottish Natural History,* **1905**: 54.
Class: Bird
Area: NW

1318 **Editorial note.** (1905). [Great Snipe in Shetland]. *Annals of Scottish Natural History,* **1905**: 54-55.
Class: Bird
Area: SH

1319 **Dewar, T.F.** (1905). Little Auk in Forfarshire. *Annals of Scottish Natural History,* **1905**: 55.
Class: Bird
Area: TA

1320 **Clarke, W.E.** (1905). Breeding of the Storm Petrel on the Bass Rock. *Annals of Scottish Natural History,* **1905**: 55-56.
Class: Bird
Area: FO

1321 **Evans, W.** (1905). The Porbeagle (*Lamna cornubica*) in the Firth of Forth. *Annals of Scottish Natural History,* **1905**: 56.
Class: Fish
Area: FO

1322 **Campbell, J.M.** (1905). Capture of a marked Skate. *Annals of Scottish Natural History,* **1905**: 56.
Class: Fish
Area: AG IH

1323 **Haldane, R.C.** (1905). Notes on whaling in Shetland, 1904. *Annals of Scottish Natural History,* **1905**: 65-72.
Class: Mamm
Area: Gen OH SK OL OR SH

1324 **Harvie-Brown, J.A.** (1905). Young of Sibbald's Rorqual (*Balaenoptera sibbaldii*). *Annals of Scottish Natural History,* **1905**: 73-74.
Class: Mamm
Area: Gen

1325 **Mackenzie, N.** (1905). Notes on the birds of St. Kilda. *Annals of Scottish Natural History,* **1905**: 75-80, 141-153.
Class: Bird
Area: SK

1326 **Evans, W.** (1905). Common Shrew in Islay. *Annals of Scottish Natural History,* **1905**: 116.
Class: Mamm
Area: AG IH

1327 **Alston, C.H.** (1905). Lesser or Pygmy Shrew in Argyll. *Annals of Scottish Natural History,* **1905**: 116.
Class: Mamm
Area: CL AG

1328 **Editorial comment.** (1905). The affinities of the Orkney Vole. *Annals of Scottish Natural History,* **1905**: 116-117.
Class: Mamm
Area: OR

1329 **Saxby, T.E.** (1905). Notes from north Shetland. *Annals of Scottish Natural History,* **1905**: 117-118.
Class: Bird
Area: SH

1330 **Macdonald, D.** (1905). Brambling in the Isle of Mull. *Annals of Scottish Natural History,* **1905**: 118.
Class: Bird
Area: AG IH

1331 **Kennedy, E.** (1905). Movements of Wood-Pigeons into Easter Ross. *Annals of Scottish Natural History,* **1905**: 118-119.
Class: Bird
Area: MO

1332 **MacGillivray, W.L.** (1905). Albino Redshank and Rock Pipit in Barra, Outer Hebrides. *Annals of Scottish Natural History,* **1905**: 119.
Class: Bird
Area: OH

1333 **Evans, W.** (1905). Black Tern and other birds in "Forth". *Annals of Scottish Natural History,* **1905**: 119.
Class: Bird
Area: FO

1334 **Wilson, R. and Wilson, H.W.** (1905). Green Sandpiper in Renfrewshire. *Annals of Scottish Natural History,* **1905**: 120.
Class: Bird
Area: CL

1335 **Tulloch, J.S.** (1905). Sturgeon in the Shetland seas. *Annals of Scottish Natural History,* **1905**: 120.
Class: Fish
Area: SH

1336 **Service, R.** (1905). Japanese Larch v. Hares and Rabbits. *Annals of Scottish Natural History,* **1905**: 121-122.
Class: Mamm
Area: SO

1337 **Omond, R.T.** (1905). Zoological notes from the log-book of the Ben Nevis Observatory. *Annals of Scottish Natural History,* **1905**: 129-141.
Class: Mamm Bird
Area: NW AG

1338 **Way, J.P.** (1905). Greenland Seal taken in Sutherlandshire. *Annals of Scottish Natural History,* **1905**: 181.
Class: Mamm
Area: CS

1339 **Henderson, T.** (1905). Remarkable visitation of migratory birds to Shetland. *Annals of Scottish Natural History,* **1905**: 181.
Class: Bird
Area: SH

1340 **Editorial note.** (1905). [Remarkable bird migration noted at Lerwick, Shetland]. *Annals of Scottish Natural History,* **1905**: 181-182.
Class: Bird
Area: SH

1341 **Saxby, T.E.** (1905). Bird-notes from Shetland. *Annals of Scottish Natural History,* **1905**: 182-183.
Class: Bird
Area: SH

1342 **Campbell, C.** (1905). Pied Flycatcher nesting in Midlothian. *Annals of Scottish Natural History,* **1905**: 183.
Class: Bird
Area: FO

1343 **Editorial note.** (1905). [Pied Flycatcher nesting in Midlothian]. *Annals of Scottish Natural History,* **1905**: 183.
Class: Bird
Area: FO

1344 **Bisshopp, C.H.** (1905). Greenland Falcon in Inverness-shire *Annals of Scottish Natural History,* **1905**: 183.
Class: Bird
Area: MO AG

1345 **Tulloch, J.S.** (1905). Former abundance of Eagles in Shetland. *Annals of Scottish Natural History,* **1905**: 183.
Class: Bird
Area: SH

1346 **Editorial note.** (1905). Occurrence of the Pacific Eider Duck in Orkney. *Annals of Scottish Natural History,* **1905**: 183-184.
Class: Bird
Area: OR

1347 **Lemmon, J.** (1905). Deal-Fish or Vaagmaer on the Banff coast. *Annals of Scottish Natural History,* **1905**: 184.
Class: Fish
Area: TA DE

1348 **Saxby, T.E.** (1905). Sturgeon in the Shetland seas. *Annals of Scottish Natural History,* **1905**: 184.
Class: Fish
Area: SH

1349 **Godfrey, R.** (1905). Notes on the Orkney Vole. *Annals of Scottish Natural History,* **1905**: 195-198.
Class: Mamm
Area: OR

1350 **Clarke, W.E.** (1905). On the House Mice of the Outer Hebrides *Annals of Scottish Natural History,* **1905**: 198-199.
Class: Mamm
Area: OH

1351 **Waterston, J.** (1905). Notes on the Mice and birds of St. Kilda. *Annals of Scottish Natural History,* **1905**: 199-202.
Class: Mamm Bird
Area: SK

1352 **Paterson, J.** (1905). Report on Scottish ornithology for 1904. *Annals of Scottish Natural History,* **1905**: 203-215.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH OL OR SH

1353 **Evans, W.** (1905). The Mole (*Talpa europaea*) in Bute. *Annals of Scottish Natural History,* **1905**: 241.
Class: Mamm
Area: CL

1354 **Kinnear, N.B.** (1905). Notes on the Orkney Vole. *Annals of Scottish Natural History,* **1905**: 241-242.
Class: Mamm
Area: OR

1355 **Gilmour, T.F.** (1905). Common Field Vole in Islay. *Annals of Scottish Natural History,* **1905**: 242.
Class: Mamm
Area: AG IH

1356 **Campbell, J.M.** (1905). A white Porpoise (?) in Clyde waters. *Annals of Scottish Natural History,* **1905**: 242-243.
Class: Mamm
Area: CL

1357 **Gladstone, H.S.** (1905). Bird notes from Dumfriesshire, etc. *Annals of Scottish Natural History,* **1905**: 243.
Class: Bird
Area: SO

1358 **Clarke, W.E.** (1905). Black Redstart and other birds at the Flannan Islands. *Annals of Scottish Natural History,* **1905**: 243-244.
Class: Bird
Area: OH OL

1359 **Alston, C.H.** (1905). Piebald Water-Ouzel in Argyll. *Annals of Scottish Natural History,* **1905**: 244.
Class: Bird
Area: AG

1360 **MacKeith, T.T.** (1905). [Wryneck nesting in Renfrewshire]. *Annals of Scottish Natural History,* **1905**: 244.
Class: Bird
Area: CL

1361 **Clarke, T.B.** (1905). The Wryneck in Shetland. *Annals of Scottish Natural History,* **1905**: 244-245.
Class: Bird
Area: SH

1362 **Harvie-Brown, J.A.** (1905). Greenland Falcons in Scotland and Ireland. *Annals of Scottish Natural History,* **1905**: 245.
Class: Bird
Area: Gen OH

1363 **Harvie-Brown, J.A. and Clarke, W.E.** (1905). Dotterel in Forth area. *Annals of Scottish Natural History,* **1905**: 245.
Class: Bird
Area: FO

1364 **Haldane, R.C.** (1905). Woodcock nesting in Shetland. *Annals of Scottish Natural History,* **1905**: 245-246.
Class: Bird
Area: SH

1365 **Harvie-Brown, J.A.** (1905). [Woodcock nesting in Shetland]. *Annals of Scottish Natural History,* **1905**: 246.
Class: Bird
Area: SH

1366 **Anderson, P.** (1905). Snipe migrating in a flock at Tiree. *Annals of Scottish Natural History,* **1905**: 246.
Class: Bird
Area: AG IH

1367 **Clarke, W.E.** (1905). [Snipe migrating in a flock]. *Annals of Scottish Natural History,* **1905**: 246.
Class: Bird
Area: Gen OH OL

1368 **Kinnear, N.B.** (1905). New breeding station of the Fulmar Petrel in Shetland. *Annals of Scottish Natural History,* **1905**: 246.
Class: Bird
Area: SH

1369 **Clarke, T.B.** (1905). The Opah in Shetland. *Annals of Scottish Natural History,* **1905**: 246-247.
Class: Fish
Area: SH

1370 **Barrett-Hamilton, G.E.H.** (1906). On a collection of mice (*Mus hirtensis* and *M. muralis*) from St. Kilda. *Annals of Scottish Natural History,* **1906**: 1-4.
Class: Mamm
Area: SK

1371 **Clarke, W.E.** (1906). The birds of Fair Isle, native and migratory. *Annals of Scottish Natural History,* **1906**: 4-21, 69-80.
Class: Bird
Area: FI

1372 **Godfrey, R.** (1906). The Black Rat in Orkney. *Annals of Scottish Natural History,* **1906**: 49.
Class: Mamm
Area: OR

1373 **Clarke, W.E.** (1906). The food of the Bank Vole. *Annals of Scottish Natural History,* **1906**: 49-50.
Class: Mamm
Area: Gen TA

1374 **Anderson, P.** (1906). Brambling in Tiree. *Annals of Scottish Natural History,* **1906**: 50.
Class: Bird
Area: AG IH

1375 **Campbell, C.** (1906). Goldfinches in Midlothian. *Annals of Scottish Natural History,* **1906**: 50.
Class: Bird
Area: FO

1376 **Brock, S.E.** (1906). Tree-Sparrow in West Lothian. *Annals of Scottish Natural History,* **1906**: 50.
Class: Bird
Area: FO

1377 **Barbour, G.B.** (1906). Tree-Sparrow in Fife. *Annals of Scottish Natural History,* **1906**: 50.
Class: Bird
Area: FO TA

1378 **Tulloch, J.S.** (1906). Occurrence of the Bullfinch in Shetland. *Annals of Scottish Natural History,* **1906**: 50-51.
Class: Bird
Area: SH

1379 **Editorial note.** (1906). [Possible northern race of Bullfinch in Shetland]. *Annals of Scottish Natural History,* **1906**: 51.
Class: Bird
Area: SH

1380 **Bell, R.B.** (1906). Late breeding of the Corn Bunting. *Annals of Scottish Natural History,* **1906**: 51.
Class: Bird
Area: Gen OR

1381 **Fowler, M.T.** (1906). Blackcap in West Ross-shire. *Annals of Scottish Natural History,* **1906**: 51.
Class: Bird
Area: NW

1382 **Cowan, W.** (1906). Black Redstart in Orkney. *Annals of Scottish Natural History,* **1906**: 51.
Class: Bird
Area: OR

1383 **Editorial note.** (1906). [Black Redstarts in the Flannan Isles]. *Annals of Scottish Natural History,* **1906**: 51.
Class: Bird
Area: OL

1384 **Alston, C.H.** (1906). Occurrence of Marsh-Titmouse in Argyll. *Annals of Scottish Natural History,* **1906**: 51-52.
Class: Bird
Area: CL AG

1385 **Campbell, C.** (1906). Hoopoe in Argyllshire. *Annals of Scottish Natural History,* **1906**: 52.
Class: Bird
Area: AG

1386 **Evans, W.** (1906). Wrynecks (*Iynx torquilla*) in "Forth". *Annals of Scottish Natural History,* **1906**: 52.
Class: Bird
Area: FO

1387 **Editorial note.** (1906). Speed of flight in the Heron. *Annals of Scottish Natural History,* **1906**: 52-53.
Class: Bird
Area: Gen

1388 **Henderson, T.** (1906). Breeding of the Pintail Duck in Shetland. *Annals of Scottish Natural History,* **1906**: 53.
Class: Bird
Area: SH

1389 **McElfrish, A.** (1906). Goosander and Scoter in Outer Hebrides. *Annals of Scottish Natural History,* **1906**: 53.
Class: Bird
Area: OH

1390 **Haldane, R.C.** (1906). Weights of Woodcock and Snipe in Shetland. *Annals of Scottish Natural History,* **1906**: 53-54.
Class: Bird
Area: Gen SH

1391 **Bell, R.B.** (1906). Great Snipe in Orkney. *Annals of Scottish Natural History,* **1906**: 54.
Class: Bird
Area: OR

1392 **Blackwood, W.T. and Blackwood, G.G.** (1906). A Great Crested Grebe on Duddingston Loch, Edinburgh. Annals of Scottish Natural History, **1906**: 54.
Class: Bird
Area: OR

1393 **Service, R.** (1906). Red Mullet (*Mullus barbatus*) in the Solway. *Annals of Scottish Natural History,* **1906**: 54.
Class: Fish
Area: SO

1394 **Service, R.** (1906). Maigre (*Sciaena aquila*) in the Solway. *Annals of Scottish Natural History,* **1906**: 54-55.
Class: Fish
Area: SO

1395 **Kinnear, N.B.** (1906). On the mammals of Fair Isle, with a description of a new sub-species of *Mus sylvaticus*. *Annals of Scottish Natural History,* **1906**: 65-68.
Class: Mamm
Area: FI

1396 **Gladstone, H.S.** (1906). Notes on some birds seen in North Uist. *Annals of Scottish Natural History,* **1906**: 113-114.
Class: Bird
Area: OH

1397 **Henderson, J.T.** (1906). Uncommon birds in Lochbroom. *Annals of Scottish Natural History,* **1906**: 114-115.
Class: Bird
Area: NW

1398 **Clarke, W.E.** (1906). Northern Bullfinch in Shetland. *Annals of Scottish Natural History,* **1906**: [51], 115-116.
Class: Bird
Area: SH

1399 **Macewen, J.** (1906). Peregrine Falcon captured at a lighthouse. *Annals of Scottish Natural History,* **1906**: 116.
Class: Bird
Area: CL AG

1400 **Gladstone, H.S.** (1906). Capercaillie in Ayrshire. *Annals of Scottish Natural History,* **1906**: 116.
Class: Bird
Area: CL

1401 **Editorial note.** (1906). [Possible survival of Capercaillies introduced to Ayrshire]. *Annals of Scottish Natural History,* **1906**: 116.
Class: Bird
Area: Gen CL

1402 **Robinson, H.W.** (1906). King Eider in Orkney. *Annals of Scottish Natural History,* **1906**: 116-117.
Class: Bird
Area: OR

1403 **Robinson, H.W.** (1906). Surf Scoter in Orkney. *Annals of Scottish Natural History,* **1906**: 117.
Class: Bird
Area: OR

1404 **Harvie-Brown, J.A.** (1906). Goosanders in Forth. *Annals of Scottish Natural History,* **1906**: 117.
Class: Bird
Area: FO

1405 **Harvie-Brown, J.A.** (1906). Woodcocks in Shetland in 1905-6. *Annals of Scottish Natural History,* **1906**: 117-118.
Class: Bird
Area: SH

1406 **Harvie-Brown, J.A.** (1906). Richardson's Skua at Kincardine-on-Forth. *Annals of Scottish Natural History,* **1906**: 118.
Class: Bird
Area: FO

1407 **MacKeith, T.T.** (1906). Are birds' eggs destroyed by wasps?. *Annals of Scottish Natural History,* **1906**: 118.
Class: Bird
Area: Gen

1408 **Godfrey, R.** (1906). Flea from the Orkney Vole. *Annals of Scottish Natural History,* **1906**: 118-119.
Class: Mamm
Area: OR

1409 **Turner, W.** (1906). White-sided Dolphin (*Delphinus acutus*) from the coast of Sutherland. *Annals of Scottish Natural History,* **1906**: 129.
Class: Mamm
Area: CS

1410 **Haldane, R.C.** (1906). Whaling in Scotland. *Annals of Scottish Natural History,* **1906**: 130-137.
Class: Mamm
Area: Gen CS OH SK OL OR SH

1411 **Clarke, W.E.** (1906). Some rare birds from Scottish stations. *Annals of Scottish Natural History,* **1906**: 137-139.
Class: Bird
Area: CS NW OH OR OL FI

1412 **Paterson, J.** (1906). Report on Scottish ornithology for 1905. *Annals of Scottish Natural History,* **1906**: 140-150, 196-205.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

1413 **Editorial note.** (1906). Prosecution under the Wild Birds' Protection Act. *Annals of Scottish Natural History,* **1906**: 184.
Class: Bird
Area: Gen CS

1414 **Taylor, W.** (1906). Common Rorqual on the Kincardineshire coast. *Annals of Scottish Natural History,* **1906**: 184.
Class: Mamm
Area: DE

1415 **Brock, S.E.** (1906). Tree Sparrows in West Lothian. *Annals of Scottish Natural History,* **1906**: 185.
Class: Bird
Area: FO

1416 **Harvie-Brown, J.A.** (1906). Wryneck in the Island of Lewis. *Annals of Scottish Natural History,* **1906**: 185.
Class: Bird
Area: OH

1417 **Gunnis, F.G.** (1906). On the occurrence of the Roller, and other notes from Brora, Sutherland. *Annals of Scottish Natural History,* **1906**: 185.
Class: Bird
Area: CS

1418 **Harvie-Brown, J.A.** (1906). Iceland Falcon in Lewis. *Annals of Scottish Natural History,* **1906**: 185.
Class: Bird
Area: OH

1419 **Harvie-Brown, J.A.** (1906). [Iceland Gulls and Purple Sandpipers in Lewis]. *Annals of Scottish Natural History,* **1906**: 185.
Class: Bird
Area: OH

1420 **Baxter, E.V. and Rintoul, L.J.** (1906). Honey Buzzard in Fife. *Annals of Scottish Natural History,* **1906**: 186.
Class: Bird
Area: FO

1421 **Macdonald, D.** (1906). Bewick's Swan in N.W. Mull. *Annals of Scottish Natural History,* **1906**: 186.
Class: Bird
Area: AG IH

1422 **Campbell, J.M.** (1906). Capercaillies in Ayrshire. *Annals of Scottish Natural History,* **1906**: 186.
Class: Bird
Area: CL

1423 **Bisshopp, C.H.** (1906). Buffon's Skua in Argyll. *Annals of Scottish Natural History,* **1906**: 186.
Class: Bird
Area: AG

1424 **Bisshopp, C.H.** (1906). [Storm Petrel with a white throat from Lunga, Treshnish]. *Annals of Scottish Natural History,* **1906**: 186.
Class: Bird
Area: Gen AG IH

1425 **Bonar, H.N.** (1906). Richardson's Skua in East Lothian. *Annals of Scottish Natural History,* **1906**: 186-187.
Class: Bird
Area: FO

1426 **Evans, W.** (1906). Trematode (*Onchocotyle appendiculata*) on a Greenland Shark stranded in the Firth of Forth. *Annals of Scottish Natural History,* **1906**: 187.
Class: Fish
Area: FO

1427 **Southwell, T.** (1906). Newfoundland Fin Whale fishing in 1905. *Annals of Scottish Natural History,* **1906**: 193-195.
Class: Mamm
Area: OH OL

1428 **Clarke, W.E.** (1906). On the occurrence of the Red-rumped Swallow (*Hirundo rufula*) at Fair Isle: a new bird to the British fauna. *Annals of Scottish Natural History,* **1906**: 205-207.
Class: Bird
Area: FI

1429 **Rodger, A.M.** (1906). Melanism in bats. *Annals of Scottish Natural History,* **1906**: 236.
Class: Mamm
Area: Gen FO

1430 **Watt, H.B.** (1906). Killer or Grampus (*Orca gladiator*) in Skye waters. *Annals of Scottish Natural History,* **1906**: 236.
Class: Mamm
Area: NW IH

1431 **Clarke, W.E. and Kinnear, N.B.** (1906). Rare birds at Fair Isle. *Annals of Scottish Natural History,* **1906**: 236-237.
Class: Bird
Area: FI

1432 **Anderson, P.** (1906). Bird notes from Tiree. *Annals of Scottish Natural History,* **1906**: 237.
Class: Bird
Area: AG IH

1433 **Robertson, J.** (1906). Tree Sparrow in Bute. *Annals of Scottish Natural History,* **1906**: 237.
Class: Bird
Area: CL

1434 **MacGillivray, W.L.** (1906). Greenland Falcon in Barra. *Annals of Scottish Natural History,* **1906**: 237.
Class: Bird
Area: OH

1435 **Laidlaw, T.G.** (1906). Nesting of the Grey-Lag Goose, etc., in the Tay area. *Annals of Scottish Natural History,* **1906**: 237-238.
Class: Bird
Area: TA

1436 **Jourdain, F.C.R.** (1906). Hybrids between Black Game and Pheasants in Scotland. *Annals of Scottish Natural History,* **1906**: 238-239.
Class: Bird
Area: Gen SO CL AG IH

1437 **Haldane, R.C.** (1906). Supposed breeding of the Jack Snipe in Shetland. *Annals of Scottish Natural History,* **1906**: 239.
Class: Bird
Area: SH

1438 **Editorial note.** (1906). [Supposed breeding of the Jack Snipe in Shetland]. *Annals of Scottish Natural History,* **1906**: 239.
Class: Bird
Area: Gen SH

1439 **Henderson, T.** (1906). Ruffs and Reeves in Shetland. *Annals of Scottish Natural History,* **1906**: 239.
Class: Bird
Area: SH

1440 **Serle, W.** (1906). Sandwich Tern at Loch of Strathbeg. *Annals of Scottish Natural History,* **1906**: 239.
Class: Bird
Area: DE

1441 **Harvie-Brown, J.A.** (1906). Fulmar inside the Outer Hebrides. *Annals of Scottish Natural History,* **1906**: 239-240.
Class: Bird
Area: CS NW OH

1442 **Tulloch, J.S.** (1906). Fulmar Petrels at Whalsay and Yell, Shetland. *Annals of Scottish Natural History,* **1906**: 240.
Class: Bird
Area: SH

1443 **Haldane, R.C.** (1907). Whaling in Scotland. *Annals of Scottish Natural History,* **1907**: 10-15.
Class: Mamm
Area: Gen CS OH SK OL OR SH

1444 **Clarke, W.E.** (1907). On the occurrence of the Siberian Chiff-Chaff (*Phylloscopus tristis*) in Scotland: a new bird to the British fauna. *Annals of Scottish Natural History,* **1907**: 15-16.
Class: Bird
Area: OR

1445 **Kinnear, N.B.** (1907). Notes on the birds seen in the Outer Hebrides during the spring of 1906. *Annals of Scottish Natural History,* **1907**: 16-19, 81-85.
Class: Bird
Area: OH

1446 **Tomison, J.** (1907). Bird-life as observed at Skerryvore lighthouse. *Annals of Scottish Natural History,* **1907**: 20-31.
Class: Bird
Area: AG IH

1447 **Kinnear, N.B.** (1907). Lesser Shrew on Ailsa Craig. *Annals of Scottish Natural History,* **1907**: 49.
Class: Mamm
Area: CL

1448 **Kinnear, N.B.** (1907). Common Shrew at Dunnet Head. *Annals of Scottish Natural History,* **1907**: 49.
Class: Mamm
Area: CS

1449 **Harvie-Brown, J.A.** (1907). Wild Cats in N.W. Highlands and Skye. *Annals of Scottish Natural History,* **1907**: 49.
Class: Mamm
Area: NW IH

1450 **Tulloch, J.S.** (1907). Bird notes from Shetland. *Annals of Scottish Natural History,* **1907**: 49-50.
Class: Bird
Area: SH

1451 **Saxby, T.E.** (1907). Bird notes from north Shetland for 1906. *Annals of Scottish Natural History,* **1907**: 50.
Class: Bird
Area: SH

1452 **Baxter, E.V. and Rintoul, L.J.** (1907). Albino Brambling in Fife. *Annals of Scottish Natural History,* **1907**: 50-51.
Class: Bird
Area: Gen FO

1453 **Tomison, J.** (1907). Yellow-browed Warbler at Skerryvore lighthouse. *Annals of Scottish Natural History,* **1907**: 51.
Class: Bird
Area: AG IH

1454 **Gurney, J.H.** (1907). Migration of the Redbreasted Flycatcher (*Muscicapa parva*). *Annals of Scottish Natural History,* **1907**: 51.
Class: Bird
Area: Gen FI

1455 **Clarke, W.E.** (1907). [Redbreasted Flycatcher at Fair Isle]. *Annals of Scottish Natural History,* **1907**: 51.
Class: Bird
Area: FI

1456 **Robertson, W.** (1907). Rose-coloured Pastors in Foula. *Annals of Scottish Natural History,* **1907**: 51.
Class: Bird
Area: SH

1457 **Bonar, H.N.** (1907). Capercaillie in Midlothian. *Annals of Scottish Natural History,* **1907**: 51-52.
Class: Bird
Area: FO

1458 **Editorial note.** (1907). [Additional records of Capercaillies in Midlothian]. *Annals of Scottish Natural History,* **1907**: 52.
Class: Bird
Area: FO

1459 **Gladstone, H.S.** (1907). Capercaillie in Dumfriesshire. *Annals of Scottish Natural History,* **1907**: 52.
Class: Bird
Area: SO

1460 **Davidson, J.** (1907). Capercaillies in Moray. *Annals of Scottish Natural History,* **1907**: 52.
Class: Bird
Area: MO

1461 **Wilson, R.** (1907). Grey-Lag Goose in Ayrshire. *Annals of Scottish Natural History,* **1907**: 52.
Class: Bird
Area: CL

1462 **Clarke, W.E.** (1907). Dotterel at the Flannan Islands. *Annals of Scottish Natural History,* **1907**: 53.
Class: Bird
Area: OL

1463 **Service, R.** (1907). Mortality among Guillemots and Razorbills. *Annals of Scottish Natural History,* **1907**: 53.
Class: Bird
Area: SO

1464 **Kinnear, N.B.** (1907). Fulmar nesting at Dunnet Head. *Annals of Scottish Natural History,* **1907**: 53.
Class: Bird
Area: CS

1465 **Burn-Murdoch, A.** (1907). Müller's Topknot captured in the Sound of Mull. *Annals of Scottish Natural History,* **1907**: 53.
Class: Fish
Area: AG IH

1466 **Campbell, B.** (1907). White-beaked Dolphin, *Lagenorhynchus albirostris,* in the Firth of Forth. *Annals of Scottish Natural History,* **1907**: 65-66.
Class: Mamm
Area: FO

1467 **Clarke, W.E.** (1907). The birds of Fair Isle. - II. The results of observations made during the year 1906. *Annals of Scottish Natural History,* **1907**: 66-80.
Class: Bird
Area: FI

1468 **Harvie-Brown, J.A.** (1907). Martens in N.W. Highlands and Skye. *Annals of Scottish Natural History,* **1907**: 111-112.
Class: Mamm
Area: CS NW IH

1469 **Rodger, A.M.** (1907). Common Seal in the Tay. *Annals of Scottish Natural History,* **1907**: 112.
Class: Mamm
Area: TA

1470 **Service, R.** (1907). Bird notes from the Solway district. *Annals of Scottish Natural History,* **1907**: 112-113.
Class: Bird
Area: SO

1471 **Gladstone, H.S.** (1907). Bird notes from Thornhill, Dumfriesshire. *Annals of Scottish Natural History,* **1907**: 113.
Class: Bird
Area: SO

1472 **Harvie-Brown, J.A.** (1907). Marked Starlings. *Annals of Scottish Natural History,* **1907**: 114.
Class: Bird
Area: Gen FO

1473 **Fowler, A.A.** (1907). Bramblings in West Ross-shire. *Annals of Scottish Natural History,* **1907**: 114.
Class: Bird
Area: NW

1474 **Clarke, E.T.** (1907). Rustic Bunting in Aberdeenshire. *Annals of Scottish Natural History,* **1907**: 114-115.
Class: Bird
Area: DE

1475 **Clarke, E.T.** (1907). Nesting of the Snow Bunting in Aberdeenshire. *Annals of Scottish Natural History,* **1907**: 115.
Class: Bird
Area: DE

1476 **Macdonald, D.** (1907). Great Grey Shrike in Mull. *Annals of Scottish Natural History,* **1907**: 115.
Class: Bird
Area: AG IH

1477 **Clarke, E.T.** (1907). Snowy Owl in Perthshire. *Annals of Scottish Natural History,* **1907**: 115.
Class: Bird
Area: TA

1478 **Harvie-Brown, J.A.** (1907). Pintail in Forth area. *Annals of Scottish Natural History,* **1907**: 115-116.
Class: Bird
Area: FO

1479 **Corbett, E.M.** (1907). Occurrence of the American Wigeon in Benbecula, Outer Hebrides. *Annals of Scottish Natural History,* **1907**: 116.
Class: Bird
Area: OH

1480 **MacGillivray, W.L.** (1907). Velvet Scoter at Barra, Outer Hebrides. *Annals of Scottish Natural History,* **1907**: 116.
Class: Bird
Area: OH

1481 **Maxwell, H.** (1907). Capercaillie in the south of Scotland. *Annals of Scottish Natural History,* **1907**: 116.
Class: Bird
Area: SO

1482 **Menzies, W.S.** (1907). Capercaillie and Willow Grouse in Moray. *Annals of Scottish Natural History,* **1907**: 116-117.
Class: Bird
Area: MO

1483 **Menzies, W.S.** (1907). [Great Grey Shrike and Little Auk in Moray]. *Annals of Scottish Natural History,* **1907**: 117.
Class: Bird
Area: MO

1484 **Clarke, E.T.** (1907). Hen Capercaillie in full male plumage. *Annals of Scottish Natural History,* **1907**: 117.
Class: Bird
Area: Gen DE

1485 **Rintoul, L.J.** (1907). Quail in Fife. *Annals of Scottish Natural History,* **1907**: 117.
Class: Bird
Area: FO TA

1486 **Editorial note.** (1907). [Quail shot in East Lothian]. *Annals of Scottish Natural History,* **1907**: 117.
Class: Bird
Area: FO

1487 **Anderson, P.** (1907). Rush of Golden Plover in Tiree. *Annals of Scottish Natural History,* **1907**: 117.
Class: Bird
Area: AG IH

1488 **Henderson, T.** (1907). Grey Plover, Woodcock, and Great Crested Grebe in Shetland in winter. *Annals of Scottish Natural History,* **1907**: 117-118.
Class: Bird
Area: SH

1489 **Clarke, W.E.** (1907). Supposed occurrence of the Yellow-shanked Sandpiper near Hawick. *Annals of Scottish Natural History,* **1907**: 118.
Class: Bird
Area: TW

1490 **Harvie-Brown, J.A.** (1907). Fulmar Petrels at Dunnet Head, Caithness. *Annals of Scottish Natural History,* **1907**: 118-119.
Class: Bird
Area: CS

1491 **Paterson, J.** (1907). Report on Scottish ornithology for 1906. *Annals of Scottish Natural History,* **1907**: 130-143, 195-208.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

1492 **Harvie-Brown, J.A.** (1907). The spring return of the Woodcocks in Forth and Clyde. *Annals of Scottish Natural History,* **1907**: 143-148.
Class: Bird
Area: CL FO

1493 **Evans, W.** (1907). The Black Sea-Bream (*Cantharus cantharus* (L.) = *Cantharus lineatus* (Mont.)), in the Firth of Forth. *Annals of Scottish Natural History,* **1907**: 148-150.
Class: Fish
Area: FO

1494 **Harvie-Brown, J.A.** (1907). A novel method of skinning birds and mammals. *Annals of Scottish Natural History,* **1907**: 180.
Class: Mamm Bird
Area: Gen SH

1495 **Gunnis, F.G.** (1907). A litter of male Foxes. *Annals of Scottish Natural History,* **1907**: 180.
Class: Mamm
Area: Gen CS

1496 **Buchan-Hepburn, A.** (1907). The Hawfinch in East Lothian. *Annals of Scottish Natural History,* **1907**: 181.
Class: Bird
Area: FO

1497 **Harvie-Brown, J.A.** (1907). Hawfinch in upper Forth district. *Annals of Scottish Natural History,* **1907**: 182.
Class: Bird
Area: FO

1498 **Harvie-Brown, J.A.** (1907). Great Spotted Woodpecker in "Forth and Tay". *Annals of Scottish Natural History,* **1907**: 182.
Class: Bird
Area: FO TA

1499 **Alston, C.H.** (1907). Probable occurrence of the Great Spotted Woodpecker in the Loch Awe district. *Annals of Scottish Natural History,* **1907**: 182.
Class: Bird
Area: CL AG

1500 **Harvie-Brown, J.A.** (1907). Wanted: notes on the Osprey. *Annals of Scottish Natural History,* **1907**: 182.
Class: Bird
Area: Gen

1501 **Saxby, T.E.** (1907). Garganey in Shetland. *Annals of Scottish Natural History,* **1907**: 182.
Class: Bird
Area: SH

1502 **Bartholomew, J.** (1907). Pintail in Clyde area. *Annals of Scottish Natural History,* **1907**: 182-183.
Class: Bird
Area: CL

1503 **Evans, W.** (1907). Smew (*Mergus albellus*) [and Black-necked Grebe] in "Forth". *Annals of Scottish Natural History,* **1907**: 183.
Class: Bird
Area: FO

1504 **Anderson, P.** (1907). Swans in the Outer Hebrides. *Annals of Scottish Natural History,* **1907**: 183.
Class: Bird
Area: OH

1505 **Harvie-Brown, J.A.** (1907). Food of the Wood Pigeon. *Annals of Scottish Natural History,* **1907**: 183.
Class: Bird
Area: Gen FO

1506 **Service, R.** (1907). Pied Flycatcher in Kirkcudbrightshire. *Annals of Scottish Natural History,* **1907**: 183-184.
Class: Bird
Area: SO

1507 **Harvie-Brown, J.A.** (1907). Shetland Garden Warbler. *Annals of Scottish Natural History,* **1907**: 184.
Class: Bird
Area: SH

1508 **Harvie-Brown, J.A.** (1907). Winter movements of Woodcock. *Annals of Scottish Natural History,* **1907**: 184.
Class: Bird
Area: Gen FO

1509 **Rodger, A.M.** (1907). Birds recently added to the Perth Museum. *Annals of Scottish Natural History,* **1907**: 184.
Class: Bird
Area: TA

1510 **Paterson, J.** (1907). Black-tailed Godwit (*Limosa belgica*) in Lanarkshire. *Annals of Scottish Natural History,* **1907**: 184-185.
Class: Bird
Area: CL

1511 **Brock, S.E.** (1907). Tufted Duck (*Fuligula cristata*) in West Lothian. *Annals of Scottish Natural History,* **1907**: 185.
Class: Bird
Area: FO

1512 **Dewar, T.F.** (1907). Lesser White-Throat (*Sylvia curruca*) nesting in "Tay". *Annals of Scottish Natural History,* **1907**: 185.
Class: Bird
Area: TA

1513 **Serle, W.** (1907). Note on the breeding of the Snow-Bunting in Buchan. *Annals of Scottish Natural History,* **1907**: 185-186.
Class: Bird
Area: DE

1514 **Henderson, T.** (1907). Gemmous Dragonet (*Callionymus lyra*) in Shetland seas. *Annals of Scottish Natural History,* **1907**: 186.
Class: Fish
Area: SH

1515 **Bahr, P.H.** (1907-08). Some bird notes from the Outer Hebrides during a month spent there, May-June 1907. *Annals of Scottish Natural History,* **1907**: 208-215; **1908**: 22-30.
Class: Bird
Area: OH

1516 **Editorial comment.** (1907). Prosecution under the Wild Birds Act. *Annals of Scottish Natural History,* **1907**: 215-216.
Class: Bird
Area: Gen SH

1517 **Rennie, J.** (1907). *Centrolophus niger,* Gmelin, on the Scottish coast, with a note on one or two points in its structure. *Annals of Scottish Natural History,* **1907**: 216-218.
Class: Fish
Area: DE

1518 **Macpherson, A.H.** (1907). Hedgehog in Argyll. *Annals of Scottish Natural History,* **1907**: 245.
Class: Mamm
Area: AG

1519 **Seatter, F.** (1907). Great Grey Seal in the Firth of Forth. *Annals of Scottish Natural History,* **1907**: 245.
Class: Mamm
Area: FO

1520 **Clarke, W.E.** (1907). Interesting birds at Fair Isle. *Annals of Scottish Natural History,* **1907**: 246.
Class: Bird
Area: FI

1521 **Binnie, W.** (1907). Peculiar Blackbird's eggs and their significance. *Annals of Scottish Natural History,* **1907**: 246-247.
Class: Bird
Area: Gen DE

1522 **Brock, S.E.** (1907). Unusual situation of Willow-Wren's nest. *Annals of Scottish Natural History,* **1907**: 247.
Class: Bird
Area: Gen FO

1523 **Macdonald, D.** (1907). Redstart in Mull. *Annals of Scottish Natural History,* **1907**: 247.
Class: Bird
Area: AG IH

1524 **Young, M.** (1907). Pied Flycatcher in Ayrshire. *Annals of Scottish Natural History,* **1907**: 247.
Class: Bird
Area: CL

1525 **Bedford, Duchess of** (1907). Great Spotted Woodpecker nesting in Perthshire. *Annals of Scottish Natural History,* **1907**: 247.
Class: Bird
Area: TA

1526 **Hamilton, J.B.B.** (1907). Great Spotted Woodpecker nesting near Callander, Perthshire. *Annals of Scottish Natural History,* **1907**: 247.
Class: Bird
Area: TA

1527 **Macdonald, D.** (1907). Albino Shag in Mull. *Annals of Scottish Natural History,* **1907**: 247-248.
Class: Bird
Area: Gen AG IH

1528 **Milne, W.** (1907). Little Bittern in Inverness-shire. *Annals of Scottish Natural History,* **1907**: 248.
Class: Bird
Area: MO

1529 **Bonar, H.N.** (1907). Nesting of the Quail in East Lothian. *Annals of Scottish Natural History,* **1907**: 248.
Class: Bird
Area: FO

1530 **Harvie-Brown, J.A.** (1907). [Quails introduced into Stirlingshire]. *Annals of Scottish Natural History,* **1907**: 248.
Class: Bird
Area: FO

1531 **Thomson, A.L. and Ramsay, L.N.G.** (1907). Garganey in Aberdeenshire. *Annals of Scottish Natural History,* **1907**: 248.
Class: Bird
Area: DE

1532 **Campbell, B.** (1907). Tufted Duck nesting in West Lothian. *Annals of Scottish Natural History,* **1907**: 249.
Class: Bird
Area: FO

1533 **Macdonald, D.** (1907). Dotterel in Mull. *Annals of Scottish Natural History,* **1907**: 249.
Class: Bird
Area: AG IH

1534 **Gladstone, H.S.** (1907). Woodcocks in Dumfriesshire. *Annals of Scottish Natural History,* **1907**: 249.
Class: Bird
Area: SO

1535 **Harvie-Brown, J.A.** (1907). Black-tailed Godwit in Barra. *Annals of Scottish Natural History,* **1907**: 250.
Class: Bird
Area: OH

1536 **Thomson, A.L.** (1907). Black-throated Diver on the Aberdeenshire coast. *Annals of Scottish Natural History,* **1907**: 250.
Class: Bird
Area: DE

1537 **Bedford, Duchess of** (1908). Notes on birds observed in the Scottish islands during the spring and autumn of 1907. *Annals of Scottish Natural History,* **1908**: 2-11.
Class: Bird
Area: OH OL OR SH

1538 **Rintoul, L.J. and Baxter, E.V.** (1908). Bird notes from the Isle of May: 9th September - 8th October 1907. *Annals of Scottish Natural History,* **1908**: 11-22.
Class: Bird
Area: FO

1539 **Editorial comment.** (1908). Proposed dealer's raid on the birds of St. Kilda and the Outer Hebrides. *Annals of Scottish Natural History,* **1908**: 35-36.
Class: Bird
Area: OH SK

1540 **Clarke, W.E.** (1908). Rare birds at Fair Isle. *Annals of Scottish Natural History,* **1908**: 49.
Class: Bird
Area: FI

1541 **Editorial note.** (1908). Rose-coloured Starling in Argyllshire. *Annals of Scottish Natural History,* **1908**: 49.
Class: Bird
Area: AG

1542 **Maxwell, H.** (1908). Male Reed-Bunting incubating. *Annals of Scottish Natural History,* **1908**: 49.
Class: Bird
Area: Gen SO

1543 **Gurney, J.H.** (1908). Marsh Titmouse in Aberdeenshire. *Annals of Scottish Natural History,* **1908**: 49.
Class: Bird
Area: DE

1544 **Harvie-Brown, J.A.** (1908). [Possible nesting of Marsh Titmouse in Aberdeenshire]. *Annals of Scottish Natural History,* **1908**: 49.
Class: Bird
Area: DE

1545 **Clarke, W.E.** (1908). Red-breasted Flycatcher at the Bell Rock lighthouse. *Annals of Scottish Natural History,* **1908**: 49-50.
Class: Bird
Area: TA

1546 **Editorial note.** (1908). Spoonbills in the west of Scotland. *Annals of Scottish Natural History,* **1908**: 50.
Class: Bird
Area: AG IH

1547 **Robinson, H.W.** (1908). Flock of the Glossy Ibis in Orkney. *Annals of Scottish Natural History,* **1908**: 50.
Class: Bird
Area: OR

1548 **Muirhead, G.** (1908). Glossy Ibis at Speymouth. *Annals of Scottish Natural History,* **1908**: 50.
Class: Bird
Area: MO

1549 **Henderson, J.T.** (1908). Note on a young Gannet. *Annals of Scottish Natural History,* **1908**: 51.
Class: Bird
Area: NW

1550 **Robinson, H.W.** (1908). Early nesting of the Shag. *Annals of Scottish Natural History,* **1908**: 51.
Class: Bird
Area: Gen OR

1551 **Maxwell, H.** (1908). Nesting of the Quail in Scotland. *Annals of Scottish Natural History,* **1908**: 51-52.
Class: Bird
Area: Gen SO FO FI

1552 **Maxwell, H.** (1908). Woodcocks and Blackgame in Dumfriesshire. *Annals of Scottish Natural History,* **1908**: 52.
Class: Bird
Area: SO

1553 **Gladstone, H.S.** (1908). Note on the Waterhen. *Annals of Scottish Natural History,* **1908**: 52-53.
Class: Bird
Area: Gen SO

1554 **Baxter, E.V. and Rintoul, L.J.** (1908). Black-tailed Godwit and Great Grey Shrike in Fife. *Annals of Scottish Natural History,* **1908**: 53.
Class: Bird
Area: TA

1555 **Editorial note.** (1908). [Black-tailed Godwit shot on the Beauly Firth]. *Annals of Scottish Natural History,* **1908**: 53.
Class: Bird
Area: MO

1556 **Evans, W.** (1908). Sabine's Gull in the Firth of Forth. *Annals of Scottish Natural History,* **1908**: 53.
Class: Bird
Area: FO

1557 **Rodger, A.M.** (1908). Angler Fish in the Tay. *Annals of Scottish Natural History,* **1908**: 53.
Class: Fish
Area: TA

1558 **Haldane, R.C.** (1908). Whaling in Scotland for 1907. *Annals of Scottish Natural History,* **1908**: 65-72.
Class: Mamm
Area: Gen CS OH SK OL OR SH

1559 **Clarke, W.E.** (1908). The birds of Fair Isle. - III. Report on observations made during the year 1907. *Annals of Scottish Natural History,* **1908**: 72-85.
Class: Bird
Area: FI

1560 **Service, R.** (1908). The Bar-tailed Godwit as a Solway bird. *Annals of Scottish Natural History,* **1908**: 85-87.
Class: Bird
Area: SO

1561 **R.S.P.B.** Watchers' Committee. (1908). The preservation of British birds: an appeal. *Annals of Scottish Natural History,* **1908**: 87-88.
Class: Bird
Area: Gen

1562 **Service, R.** (1908). Varieties of the Mole. *Annals of Scottish Natural History,* **1908**: 117.
Class: Mamm
Area: Gen SO

1563 **Harvie-Brown, J.A.** (1908). Large Otter. *Annals of Scottish Natural History,* **1908**: 117.
Class: Mamm
Area: Gen FO

1564 **Anderson, P.** (1908). Bird notes from Tiree. *Annals of Scottish Natural History,* **1908**: 117-118.
Class: Bird
Area: AG IH

1565 **Harvie-Brown, J.A.** (1908). [Abundance of Redwings]. *Annals of Scottish Natural History,* **1908**: 117.
Class: Bird
Area: Gen FO TA NW

1566 **Service, R.** (1908). Pied Flycatcher nesting in Kirkcudbrightshire. *Annals of Scottish Natural History,* **1908**: 118.
Class: Bird
Area: SO

1567 **Yates, J.** (1908). Waxwing in Banffshire. *Annals of Scottish Natural History,* **1908**: 118.
Class: Bird
Area: MO

1568 **Editorial note**. (1908). Gadwall in the west of Scotland. *Annals of Scottish Natural History,* **1908**: 119.
Class: Bird
Area: SO CL

1569 **Alston, C.H.** (1908). Pintails in Argyllshire. *Annals of Scottish Natural History,* **1908**: 119.
Class: Bird
Area: AG

1570 **Gladstone, H.S.** (1908). Smew in Dumfriesshire. *Annals of Scottish Natural History,* **1908**: 119.
Class: Bird
Area: SO

1571 **Service, R.** (1908). The Eider Duck in Solway waters. *Annals of Scottish Natural History,* **1908**: 119.
Class: Bird
Area: SO

1572 **Clarke, W.E.** (1908). Siberian Chiff-Chaff and Wood Warbler in the Orkneys. *Annals of Scottish Natural History,* **1908**: 119.
Class: Bird
Area: OR

1573 **Robertson, J.** (1908). Glossy Ibis in Ayrshire. *Annals of Scottish Natural History,* **1908**: 119.
Class: Bird
Area: CL

1574 **Evans, W.** (1908). Bittern in East Lothian. *Annals of Scottish Natural History,* **1908**: 119-120.
Class: Bird
Area: FO

1575 **Harvie-Brown, J.A.** (1908). Capercaillie in Dee. *Annals of Scottish Natural History,* **1908**: 120.
Class: Bird
Area: DE

1576 **Campbell, P.M.** (1908). Land-rail at Edinburgh in winter. *Annals of Scottish Natural History,* **1908**: 120.
Class: Bird
Area: Gen FO

1577 **Service, R.** (1908). Red-necked Phalarope in the Solway area. *Annals of Scottish Natural History,* **1908**: 120.
Class: Bird
Area: SO

1578 **Thomson, A.L.** (1908). Leach's Petrel in Aberdeenshire. *Annals of Scottish Natural History,* **1908**: 120.
Class: Bird
Area: DE

1579 **Service, R.** (1908). The Saury or Skipper (*Scombresox saurus*) in the Solway. *Annals of Scottish Natural History,* **1908**: 120.
Class: Fish
Area: SO

1580 **Paterson, J.** (1908). Report on Scottish ornithology for 1907. *Annals of Scottish Natural History,* **1908**: 129-139, 193-208.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

1581 **Laidlaw, T.G.** (1908). Food of the Black-headed Gull. *Annals of Scottish Natural History,* **1908**: 139-141.
Class: Bird
Area: Gen TA

1582 **Harvie-Brown, J.A.** (1908). Distribution of the Woodcock in the central districts of the Forth area in the spring of 1908. *Annals of Scottish Natural History,* **1908**: 142-146.
Class: Bird
Area: FO

1583 **Ritchie, J.** (1908). An ambicolored Turbot with eyes approximately normal in position. *Annals of Scottish Natural History,* **1908**: 146-150.
Class: Fish
Area: Gen TW DE

1584 **Evans, W.** (1908). The Oar-Fish, or King of the Herrings, *Regalecus glesne* (Ascan.) = *R. banksii* (Cuv. and Val.), on the coast of East Lothian. *Annals of Scottish Natural History,* **1908**: 150-154.
Class: Fish
Area: FO

1585 **Editorial note.** (1908). Forthcoming book on the Birds of Dumfriesshire; request for assistance. *Annals of Scottish Natural History,* **1908**: 179.
Class: Bird
Area: SO

1586 **Editorial note.** (1908). Prosecution under the Wild Birds Acts. *Annals of Scottish Natural History,* **1908**: 180.
Class: Bird
Area: Gen SO

1587 **Rintoul, L.J. and Baxter, E.V.** (1908). Bird notes from Fife. *Annals of Scottish Natural History,* **1908**: 180.
Class: Bird
Area: FO

1588 **Harvie-Brown, J.A.** (1908). Increase of Goldfinches in central Scotland (Forth) and Siskins nesting. *Annals of Scottish Natural History,* **1908**: 180-181.
Class: Bird
Area: FO

1589 **Harvie-Brown, J.A.** (1908). Occurrence of Wild Canary in the Forth area. *Annals of Scottish Natural History,* **1908**: 181.
Class: Bird
Area: FO

1590 **Robinson, H.W.** (1908). White Wagtail in Orkney. *Annals of Scottish Natural History,* **1908**: 181.
Class: Bird
Area: OR

1591 **Marshall, J.M.** (1908). Breeding of the Tree-Pipit in the Glenshee district. *Annals of Scottish Natural History,* **1908**: 181.
Class: Bird
Area: TA

1592 **Harvie-Brown, J.A.** (1908). An invasion of Cuckoos. *Annals of Scottish Natural History,* **1908**: 181-182.
Class: Bird
Area: FO

1593 **Dobbie, J.B.** (1908). Turnstone in Scotland in June. *Annals of Scottish Natural History,* **1908**: 182.
Class: Bird
Area: Gen NW

1594 **Harvie-Brown, J.A.** (1908). [Turnstones in the Hebrides in summer]. *Annals of Scottish Natural History,* **1908**: 182.
Class: Bird
Area: IH OH

1595 **Harvie-Brown, J.A.** (1908). Snowy Owl in South Uist. *Annals of Scottish Natural History,* **1908**: 182.
Class: Bird
Area: OH

1596 **Evans, W.** (1908). The Scops-Owl in Forth. *Annals of Scottish Natural History,* **1908**: 182-183.
Class: Bird
Area: FO

1597 **Clarke, W.E.** (1908). Greenland Falcon at the Flannan Islands. *Annals of Scottish Natural History,* **1908**: 183.
Class: Bird
Area: OL

1598 **Harvie-Brown, J.A.** (1908). Osprey, etc., in Shetland. *Annals of Scottish Natural History,* **1908**: 183.
Class: Bird
Area: SH

1599 **Bonar, H.N.** (1908). Bitterns in East Lothian. *Annals of Scottish Natural History,* **1908**: 183-184.
Class: Bird
Area: FO

1600 **Ramsay, L.N.G. and Thomson, A.L.** (1908). Gadwall in Aberdeenshire. *Annals of Scottish Natural History,* **1908**: 184.
Class: Bird
Area: DE

1601 **Harvie-Brown, J.A.** (1908). Pintails increase in Shetland. *Annals of Scottish Natural History,* **1908**: 184.
Class: Bird
Area: SH

1602 **Gladstone, H.S.** (1908). Protection of the Woodcock in the S.W. of Scotland. *Annals of Scottish Natural History,* **1908**: 184.
Class: Bird
Area: SO

1603 **Donaldson, R.P.** (1908). Black Tern on the Tweed. *Annals of Scottish Natural History,* **1908**: 185.
Class: Bird
Area: TW

1604 **Evans, W.** (1908). Little Auk in the Firth of Forth in March. *Annals of Scottish Natural History,* **1908**: 185.
Class: Bird
Area: FO

1605 **Robinson, H.W.** (1908). Large assemblage of Great Northern Divers and a moulting bird. *Annals of Scottish Natural History,* **1908**: 185.
Class: Bird
Area: OR

1606 **Macdonald, D.** (1908). Four-bearded Rockling in the Sound of Mull. *Annals of Scottish Natural History,* **1908**: 185-186.
Class: Fish
Area: AG IH

1607 **Harvie-Brown, J.A.** (1908). The Great Spotted Woodpecker's resuscitation in Scotland since 1841 or 1851. *Annals of Scottish Natural History,* **1908**: 209-216.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH OR SH

1608 **Evans, W.** (1908). On the origin of the present colony of Scottish Greater Spotted Woodpeckers. *Annals of Scottish Natural History,* **1908**: 216-218.
Class: Bird
Area: Gen TW FO

1609 **Watt, H.B.** (1908). A list of Scottish heronries, past and present. *Annals of Scottish Natural History,* **1908**: 218-223.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH OR SH

1610 **Ritchie, J.** (1908). A hump-backed Trout from Stranraer. *Annals of Scottish Natural History,* **1908**: 223-227.
Class: Fish
Area: SO

1611 **Anderson, P.** (1908). Notes from Tiree. *Annals of Scottish Natural History,* **1908**: 252.
Class: Bird
Area: AG IH

1612 **McConachie, W.** (1908). Hawfinch in Berwickshire. *Annals of Scottish Natural History,* **1908**: 252-253.
Class: Bird
Area: TW

1613 **Service, R.** (1908). The Hawfinch in Galloway. *Annals of Scottish Natural History,* **1908**: 253.
Class: Bird
Area: SO

1614 **Anderson, P.** (1908). Probable nesting of the White Wagtail in N.W. Highlands. *Annals of Scottish Natural History,* **1908**: 253.
Class: Bird
Area: NW

1615 **Ramsay, L.N.G.** (1908). Probable breeding of Blue-headed Wagtail near Aberdeen. *Annals of Scottish Natural History,* **1908**: 253-254.
Class: Bird
Area: DE

1616 **Dewar, T.L.** (1908). Nesting of the Lesser Whitethroat in Tay: a correction. *Annals of Scottish Natural History,* **1908**: 254.
Class: Bird
Area: TA

1617 **Dixon, J.S.** (1908). Wood and Garden Warblers at Loch Awe. *Annals of Scottish Natural History,* **1908**: 254.
Class: Bird
Area: CL AG

1618 **Evans, W.** (1908). Gadwall in Scotland in the breeding season. *Annals of Scottish Natural History,* **1908**: 254.
Class: Bird
Area: Gen FO TA

1619 **Evans, W.** (1908). Black Tern in Tweed and Forth. *Annals of Scottish Natural History,* **1908**: 254.
Class: Bird
Area: TW FO

1620 **Evans, W.** (1908). The Black-headed Gull as a persecutor of the Lapwing. *Annals of Scottish Natural History,* **1908**: 255.
Class: Bird
Area: Gen FO TA OR

1621 **Anderson, P.** (1908). Arctic Skua choked by a Gurnard. *Annals of Scottish Natural History,* **1908**: 255.
Class: Bird Fish
Area: AG IH

1622 **Dixon, J.S.** (1908). Extension of the nesting of the Woodcock in the Clyde area. *Annals of Scottish Natural History,* **1908**: 255-256.
Class: Bird
Area: CL

1623 **Clarke, W.E.** (1908). Pratincole at the Flannan Islands. *Annals of Scottish Natural History,* **1908**: 256.
Class: Bird
Area: OL

1624 **Evans, W.** (1908). The Oar-Fish (*Regalecus glesne*). *Annals of Scottish Natural History,* **1908**: 256.
Class: Fish
Area: TA DE

1625 **Clarke, W.E.** (1909). On the occurrence of Eversmann's Warbler (*Phylloscopus borealis* (Blasius)) at Fair Isle: an addition to the British fauna. *Annals of Scottish Natural History,* **1909**: 1-2.
Class: Bird
Area: FI

1626 **Bedford, Duchess of** (1909). Some autumn bird notes from the Outer Hebrides. *Annals of Scottish Natural History,* **1909**: 3-5.
Class: Bird
Area: OH

1627 **Baxter, E.V.** (1909). Bird notes from the Isle of May for the year 1908. *Annals of Scottish Natural History,* **1909**: 5-20.
Class: Bird
Area: FO

1628 **Evans, W.** (1909). The Deal-Fish or Vaagmaer, *Trachypterus arcticus* (Brünn), on the coast of East Lothian. *Annals of Scottish Natural History,* **1909**: 20-22.
Class: Fish
Area: FO

1629 **Spence, M.** (1909). Pipistrelle Bat in Orkney. *Annals of Scottish Natural History,* **1909**: 47.
Class: Mamm
Area: OR

1630 **Service, R.** (1909). Destructive habits of the Bank Vole. *Annals of Scottish Natural History,* **1909**: 47.
Class: Mamm
Area: Gen SO

1631 **Henderson, J.T.** (1909). Brambling in west Sutherland. *Annals of Scottish Natural History,* **1909**: 47-48.
Class: Bird
Area: CS NW

1632 **Bonar, H.N.** (1909). Hawfinch in East Lothian. *Annals of Scottish Natural History,* **1909**: 48.
Class: Bird
Area: FO

1633 **Clarke, W.E.** (1909). Little Bunting and other birds at Sule Skerry. *Annals of Scottish Natural History,* **1909**: 48.
Class: Bird
Area: OR

1634 **Clyne, R.** (1909). Red-breasted Flycatcher and other birds at the Butt of Lewis. *Annals of Scottish Natural History,* **1909**: 48-49.
Class: Bird
Area: OH

1635 **Rintoul, L.J. and Baxter, E.V.** (1909). Black Redstart in the Tay area. *Annals of Scottish Natural History,* **1909**: 49.
Class: Bird
Area: TA

1636 **Evans, W.** (1909). Coal Titmouse on the Bass Rock. *Annals of Scottish Natural History,* **1909**: 49.
Class: Bird
Area: FO

1637 **Berry, W.** (1909). Gadwall in Fifeshire. *Annals of Scottish Natural History,* **1909**: 49.
Class: Bird
Area: TA

1638 **Burn, J.R.P.** (1909). Long-tailed Duck far inland. *Annals of Scottish Natural History,* **1909**: 49.
Class: Bird
Area: Gen MO

1639 **Evans, W.** (1909). Golden-eyes in the Forth area in summer. *Annals of Scottish Natural History,* **1909**: 49-50.
Class: Bird
Area: FO

1640 **Gladstone, H.S.** (1909). Note on the drumming of the Snipe. *Annals of Scottish Natural History,* **1909**: 50.
Class: Bird
Area: Gen FO

1641 **Paterson, J.** (1909). Black-headed Gulls molesting Lapwings. *Annals of Scottish Natural History,* **1909**: 50.
Class: Bird
Area: Gen

1642 **Robinson, H.W.** (1909). Note on the moulting of the Great Northern Divers. *Annals of Scottish Natural History,* **1909**: 50-51.
Class: Bird
Area: Gen OR

1643 **Anderson, P.** (1909). Bird notes from Tiree. *Annals of Scottish Natural History,* **1909**: 51.
Class: Bird
Area: AG IH

1644 **Thompson, D.W.** (1909). *Labrax lupus*, Cuv., in the North sea. *Annals of Scottish Natural History,* **1909**: 51-52.
Class: Fish
Area: TA

1645 **Editorial note.** (1909). [Basse in the Firth of Forth]. *Annals of Scottish Natural History,* **1909**: 52.
Class: Fish
Area: FO

1646 **Robinson, H.W.** (1909). Another occurrence of the Oar-Fish in Scotland. *Annals of Scottish Natural History,* **1909**: 52.
Class: Fish
Area: OR

1647 **Haldane, R.C.** (1909). Whaling in Scotland for 1908. *Annals of Scottish Natural History,* **1909**: 65-69.
Class: Mamm
Area: Gen CS OH SK OL OR SH

1648 **Clarke, W.E.** (1909). The birds of Fair Isle. - IV. Report on observations made during the year 1908. *Annals of Scottish Natural History,* **1909**: 69-75.
Class: Bird
Area: FI

1649 **Clarke, W.E.** (1909). On the occurrence of Brünnich's Guillemot in the Firth of Forth. *Annals of Scottish Natural History,* **1909**: 75-76.
Class: Bird
Area: FO

1650 **Beare, T.H. and Evans, W.** (1909). Coleoptera from Moles' nests in the south-east of Scotland. *Annals of Scottish Natural History,* **1909**: 86-91.
Class: Mamm
Area: Gen TW

1651 **Alston, C.H.** (1909). Pygmy Shrew 2000 feet above sea-level. *Annals of Scottish Natural History,* **1909**: 114.
Class: Mamm
Area: Gen NW AG

1652 **Clarke, W.E.** (1909). The occurrence of *Phylloscopus borealis*, not *P. viridanus*, at Sule Skerry: a correction. *Annals of Scottish Natural History,* **1909**: 114-115.
Class: Bird
Area: OR

1653 **Tulloch, J.S.** (1909). Long-eared Owls near Lerwick, Shetland. *Annals of Scottish Natural History,* **1909**: 115.
Class: Bird
Area: SH

1654 **Stewart, W.** (1909). Nesting of the Stock-Dove in Lanarkshire. *Annals of Scottish Natural History,* **1909**: 115.
Class: Bird
Area: CL

1655 **Berry, W.** (1909). Whooper in Fifeshire. *Annals of Scottish Natural History,* **1909**: 115-116.
Class: Bird
Area: TA

1656 **Berry, W.** (1909). Gadwalls in Fifeshire. *Annals of Scottish Natural History,* **1909**: 116.
Class: Bird
Area: TA

1657 **Robinson, H.W.** (1909). The occurrence of the Gadwall in Orkney. *Annals of Scottish Natural History,* **1909**: 116.
Class: Bird
Area: OR

1658 **Evans, W.** (1909). Heronries in Forth. *Annals of Scottish Natural History,* **1909**: 116.
Class: Bird
Area: FO

1659 **Blackwood, G.G.** (1909). Parasitic habits of the Black-headed Gull. *Annals of Scottish Natural History,* **1909**: 117.
Class: Bird
Area: Gen FO

1660 **Brock, S.E.** (1909). The Black-headed Gull as a persecutor of the Lapwing. *Annals of Scottish Natural History,* **1909**: 117.
Class: Bird
Area: Gen

1661 **Berry, W.** (1909). Black-throated Diver in Fifeshire. *Annals of Scottish Natural History,* **1909**: 117-118.
Class: Bird
Area: TA

1662 **Robinson, H.W.** (1909). Fork-tailed Petrels in Orkney. *Annals of Scottish Natural History,* **1909**: 118.
Class: Bird
Area: OR

1663 **Clarke, W.E.** (1909). Bass in the North Sea in winter. *Annals of Scottish Natural History,* **1909**: 118.
Class: Fish
Area: FO

1664 **Ingles, W.M.** (1909). Ray's Sea-Bream in the Firth of Forth. *Annals of Scottish Natural History,* **1909**: 118.
Class: Fish
Area: FO

1665 **Robinson, H.W.** (1909). The weight and length of Otters. *Annals of Scottish Natural History,* **1909**: 134-139.
Class: Mamm
Area: Gen SO

1666 **Smalley, F.W.** (1909). Notes on the seasonal change in the plumage of the Great Northern Diver (*Colymbus glacialis*). *Annals of Scottish Natural History,* **1909**: 139-144.
Class: Bird
Area: Gen OR

1667 **Editorial comment.** (1909). Bird migration: a new Scottish enquiry. *Annals of Scottish Natural History,* **1909**: 180-181.
Class: Bird
Area: Gen

1668 **Berry, W.** (1909). Hawfinch in Fife. *Annals of Scottish Natural History,* **1909**: 181.
Class: Bird
Area: TA

1669 **Evans, W.** (1909). Nesting of the Hawfinch (*Coccothraustes vulgaris*) in East Lothian. *Annals of Scottish Natural History,* **1909**: 181.
Class: Bird
Area: FO

1670 **Service, R.** (1909). Bramblings in Solway. *Annals of Scottish Natural History,* **1909**: 181-182.
Class: Bird
Area: SO

1671 **Horton, W.** (1909). Golden Oriole in Renfrewshire. *Annals of Scottish Natural History,* **1909**: 182.
Class: Bird
Area: CL

1672 **Waterston, J.** (1909). Blackbird and Thrush laying together. *Annals of Scottish Natural History,* **1909**: 182.
Class: Bird
Area: Gen CL

1673 **Stout, G.** (1909). Yellow-browed Warbler in Dumfriesshire in spring. *Annals of Scottish Natural History,* **1909**: 182-183.
Class: Bird
Area: SO

1674 **Editorial note.** (1909). [First spring record of the Yellow-browed Warbler]. *Annals of Scottish Natural History,* **1909**: 183.
Class: Bird
Area: Gen SO

1675 **Serle, W.** (1909). Early appearance of the Swift. *Annals of Scottish Natural History,* **1909**: 183.
Class: Bird
Area: Gen FO

1676 **Editorial note.** (1909). Hoopoe in Skye. *Annals of Scottish Natural History,* **1909**: 183.
Class: Bird
Area: NW IH

1677 **Editorial note.** (1909). Little Bittern in Orkney. *Annals of Scottish Natural History,* **1909**: 183.
Class: Bird
Area: OR

1678 **Service, R.** (1909). Solway "Gray Geese". *Annals of Scottish Natural History,* **1909**: 183-184.
Class: Bird
Area: SO

1679 **Service, R.** (1909). Marked Pintail. *Annals of Scottish Natural History,* **1909**: 184, [247].
Class: Bird
Area: SO

1680 **Rintoul, L.J. and Baxter, E.V.** (1909). Nesting of Gadwall in Scotland. *Annals of Scottish Natural History,* **1909**: 184.
Class: Bird
Area: Gen TW FO

1681 **Robinson, H.W.** (1909). Long-tailed Ducks in Orkney in summer. *Annals of Scottish Natural History,* **1909**: 184-185.
Class: Bird
Area: OR

1682 **Aird, J.** (1909). Little Crake in Ayrshire. *Annals of Scottish Natural History,* **1909**: 185.
Class: Bird
Area: CL

1683 **Service, R.** (1909). Green Sandpiper in Solway. *Annals of Scottish Natural History,* **1909**: 185.
Class: Bird
Area: SO

1684 **Serle, W.** (1909). Great Crested Grebe at Duddingston Loch, Edinburgh. *Annals of Scottish Natural History,* **1909**: 185.
Class: Bird
Area: FO

1685 **Robinson, H.W.** (1909). The Red-necked Grebe in Orkney. *Annals of Scottish Natural History,* **1909**: 185-186.
Class: Bird
Area: OR

1686 **Paterson, J.** (1909). Report on Scottish ornithology for 1908. *Annals of Scottish Natural History,* **1909**: 193-214.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

1687 **Clarke, W.E.** (1909). The recent remarkable visitation of Crossbills. *Annals of Scottish Natural History,* **1909**: 215-217.
Class: Bird
Area: TW DE CS OH OL OR SH FI

1688 **Haldane, R.C.** (1909). Great Cormorant. *Annals of Scottish Natural History,* **1909**: 246.
Class: Bird
Area: Gen

1689 **Smalley, F.** (1909). White-throated Sparrow at the Flannan Islands. *Annals of Scottish Natural History,* **1909**: 246.
Class: Bird
Area: OL

1690 **Editorial note.** (1909). [British occurrences of the White-throated Sparrow]. *Annals of Scottish Natural History,* **1909**: 246-247.
Class: Bird
Area: Gen DE

1691 **Macdonald, D.** (1909). The Corn-Bunting and Chiff-Chaff in Mull. *Annals of Scottish Natural History,* **1909**: 247.
Class: Bird
Area: AG IH

1692 **Macdonald, D.** (1909). Heronries in Mull. *Annals of Scottish Natural History,* **1909**: 247.
Class: Bird
Area: AG IH

1693 **Clarke, W.E.** (1909). Ruddy Sheld-Duck at Sule Skerry, Orkney. *Annals of Scottish Natural History,* **1909**: 247.
Class: Bird
Area: OR

1694 **Bartholomew, J.** (1909). Pintail in Solway: an explanation. *Annals of Scottish Natural History,* **1909**: 247.
Class: Bird
Area: SO

1695 **Jackson, A.C.** (1909). Occurrence of Black-tailed Godwit in the Cromarty Firth. *Annals of Scottish Natural History,* **1909**: 247.
Class: Bird
Area: MO

1696 **Berry, W.** (1909). Black-tailed Godwit in Fife. *Annals of Scottish Natural History,* **1909**: 247.
Class: Bird
Area: TA

1697 **Tulloch, J.S.** (1909). An adult Sabine's Gull at Lerwick, Shetland. *Annals of Scottish Natural History,* **1909**: 248.
Class: Bird
Area: SH

1698 **Clarke, W.E.** (1909). Capture of the Sagre (*Spinax niger*) off the Shetlands. *Annals of Scottish Natural History,* **1909**: 248.
Class: Fish
Area: SH

1699 **Clarke, W.E.** (1909). Spinous Shark (*Echinorhinus spinosus*) captured off the Isle of May. *Annals of Scottish Natural History,* **1909**: 248.
Class: Fish
Area: FO

1700 **Haldane, R.C.** (1910). Whaling in Scotland for 1909. *Annals of Scottish Natural History,* **1910**: 1-2.
Class: Mamm
Area: Gen OH OL SH

1701 **Baxter, E.V. and Rintoul, L.J.** (1910). On the occurrence of the Eastern Pied Chat (*Saxicola pleschanka*) in Scotland - a new British bird. *Annals of Scottish Natural History,* **1910**: 2-4.
Class: Bird
Area: FO

1702 **Rintoul, L.J. and Baxter, E.V.** (1910). Bird notes from the Isle of May - autumn 1909. *Annals of Scottish Natural History,* **1910**: 4-10.
Class: Bird
Area: FO

1703 **Taylor, W.** (1910). The Noctule Bat in Morayshire. *Annals of Scottish Natural History,* **1910**: 52-53.
Class: Mamm
Area: MO

1704 **Evans, W.** (1910). Black and brown Water-Voles in the same family. *Annals of Scottish Natural History,* **1910**: 53.
Class: Mamm
Area: Gen TA

1705 **Robinson, H.W.** (1910). The length and weight of Otters. *Annals of Scottish Natural History,* **1910**: 53.
Class: Mamm
Area: Gen

1706 **Hamilton, E.** (1910). Some rare birds in Unst, Shetland. *Annals of Scottish Natural History,* **1910**: 53-54.
Class: Bird
Area: SH

1707 **Clarke, W.E.** (1910). Some further remarks on the visitation of Crossbills. *Annals of Scottish Natural History,* **1910**: 54-55.
Class: Bird
Area: CS OL FI

1708 **Jackson, A.C.** (1910). Occurrence of Yellow-browed Warblers in East Ross-shire. *Annals of Scottish Natural History,* **1910**: 55.
Class: Bird
Area: NW

1709 **Jackson, A.C.** (1910). Migration of Redwings, etc. *Annals of Scottish Natural History,* **1910**: 55.
Class: Bird
Area: MO

1710 **Jackson, A.C.** (1910). Grasshopper Warbler and Greater Wheatear at Mull of Galloway light. *Annals of Scottish Natural History,* **1910**: 55.
Class: Bird
Area: SO

1711 **Evans, W.** (1910). The Greater Wheatear (*Saxicola oenanthe leucorrhoa*, Gmel.) in Forth. *Annals of Scottish Natural History,* **1910**: 55.
Class: Bird
Area: FO

1712 **Gladstone, H.S.** (1910). Golden Oriole in Dumfriesshire. *Annals of Scottish Natural History,* **1910**: 56.
Class: Bird
Area: SO

1713 **Dalgleish, J.J.** (1910). Nesting of the Great Spotted Woodpecker in west Fife. *Annals of Scottish Natural History,* **1910**: 56.
Class: Bird
Area: FO

1714 **Bonar, H.N.** (1910). Quails in East Lothian. *Annals of Scottish Natural History,* **1910**: 56.
Class: Bird
Area: FO

1715 **Evans, W.** (1910). "Ringed" Arctic Tern at Barns Ness lighthouse (Forth). *Annals of Scottish Natural History,* **1910**: 56.
Class: Bird
Area: FO

1716 **Evans, W.** (1910). Storm Petrel at Barns Ness lighthouse (Forth). *Annals of Scottish Natural History,* **1910**: 56.
Class: Bird
Area: FO

1717 **Fowler, A.** (1910). Beautiful variety of the Black-headed Gull. *Annals of Scottish Natural History,* **1910**: 56-57.
Class: Bird
Area: Gen NW

1718 **Harvie-Brown, J.A.** (1910). [Rosy-coloured Black-headed Gulls at Oban]. *Annals of Scottish Natural History,* **1910**: 57.
Class: Bird
Area: Gen AG

1719 **Taylor, W.** (1910). Porbeagle Shark in the Moray Firth. *Annals of Scottish Natural History,* **1910**: 57.
Class: Fish
Area: MO

1720 **Ritchie, J.** (1910). Barnacles on a whale. *Annals of Scottish Natural History,* **1910**: 57.
Class: Mamm
Area: Gen SK

1721 **Clarke, W.E.** (1910). The birds of Fair Isle. - V. Report on observations made during the year 1909. *Annals of Scottish Natural History,* **1910**: 65-67.
Class: Bird
Area: FI

1722 **Watt, H.B.** (1910). Scottish heronries, past and present. Supplementary to list in the "Annals of Scottish Natural History", October 1908, p. 218-23. *Annals of Scottish Natural History,* **1910**: 68-70.
Class: Bird
Area: SO TW FO TA DE NW AG IH

1723 **Gladstone, H.S.** (1910). The American Bittern in Scotland. *Annals of Scottish Natural History,* **1910**: 70-74.
Class: Bird
Area: SO CL FO DE MO CS AG IH OL

1724 **Evans, W.** (1910). The supposed eggs of the Wood-Sandpiper (*Totanus glareola*) taken in Elginshire in 1853. *Annals of Scottish Natural History,* **1910**: 74-76.
Class: Bird
Area: MO

1725 **Haldane, R.C.** (1910). Extraordinary fecundity of a Whale (*Balaenoptera musculus*). *Annals of Scottish Natural History,* **1910**: 117.
Class: Mamm
Area: Gen

1726 **Harvie-Brown, J.A.** (1910). Large Otter in "Tay". *Annals of Scottish Natural History,* **1910**: 117.
Class: Mamm
Area: TA

1727 **Harvie-Brown, J.A.** (1910). Crossbills on the north-east coast. *Annals of Scottish Natural History,* **1910**: 118.
Class: Bird
Area: DE CS

1728 **Service, R.** (1910). Albino Reed Bunting in Solway area. *Annals of Scottish Natural History,* **1910**: 118.
Class: Bird
Area: Gen SO

1729 **Jackson, A.C.** (1910). Greater Wheater at Mull of Galloway: a correction. *Annals of Scottish Natural History,* **1910**: 118.
Class: Bird
Area: SO

1730 **Gladstone, H.S.** (1910). Great Spotted Woodpecker near Penpont, Dumfriesshire. *Annals of Scottish Natural History,* **1910**: 118.
Class: Bird
Area: SO

1731 **Harvie-Brown, J.A.** (1910). Great Spotted Woodpecker in Forth and Dee. *Annals of Scottish Natural History,* **1910**: 118.
Class: Bird
Area: FO DE

1732 **Harvie-Brown, J.A. and Clarke, W.E.** (1910). Greenland Falcons in Scotland. *Annals of Scottish Natural History,* **1910**: 118-119.
Class: Bird
Area: TA NW OH OL OR

1733 **Brown, H.H.** (1910). Bittern in Fife. *Annals of Scottish Natural History,* **1910**: 119.
Class: Bird
Area: FO TA

1734 **Gladstone, H.S.** (1910). Long-tailed Duck near Gretna, Dumfriesshire. *Annals of Scottish Natural History,* **1910**: 119.
Class: Bird
Area: SO

1735 **Harvie-Brown, J.A.** (1910). Stock Dove in Dee. *Annals of Scottish Natural History,* **1910**: 119.
Class: Bird
Area: DE

1736 **Gladstone, H.S.** (1910). Hybrid Blackcock and Capercaillie in Kincardineshire. *Annals of Scottish Natural History,* **1910**: 119-120.
Class: Bird
Area: TA DE

1737 **Bonar, H.N.** (1910). Capercaillie in East Lothian. *Annals of Scottish Natural History,* **1910**: 120.
Class: Bird
Area: FO

1738 **Williamson, H.C.** (1910). Occurrence of *Anarrhichas latifrons* in the North Sea. *Annals of Scottish Natural History,* **1910**: 120-121.
Class: Fish
Area: DE

1739 **Baxter, E.V. and Rintoul, L.J.** (1910). Report on Scottish ornithology in 1909. *Annals of Scottish Natural History,* **1910**: 132-148, 193-211.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

1740 **Clarke, W.E.** (1910). On the occurrence of the Rock Thrush (*Monticola saxatilis*) in the Orkney Islands. *Annals of Scottish Natural History,* **1910**: 148-149.
Class: Bird
Area: OR

1741 **Grimshaw, P.H.** (1910). The insect fauna of Grouse moors. *Annals of Scottish Natural History,* **1910**: 149-162.
Class: Bird
Area: Gen

1742 **Taylor, W.** (1910). The Common Dolphin in Moray Firth. *Annals of Scottish Natural History,* **1910**: 181.
Class: Mamm
Area: MO

1743 **Bedford, Duchess of** (1910). Crossbills in Perthshire. *Annals of Scottish Natural History,* **1910**: 181.
Class: Bird
Area: TA

1744 **Evans, W.** (1910). A Peeblesshire specimen of the Chough (*Pyrrhocorax graculus*). *Annals of Scottish Natural History,* **1910**: 181-182.
Class: Bird
Area: TW

1745 **Stewart-Menzies, W.** (1910). Crossbills on the north-east coast of Scotland. *Annals of Scottish Natural History,* **1910**: 182.
Class: Bird
Area: DE

1746 **Clarke, W.E.** (1910). Golden Oriole in Fife. *Annals of Scottish Natural History,* **1910**: 182.
Class: Bird
Area: FO

1747 **Service, R.** (1910). Greater Wheatear in the Solway area. *Annals of Scottish Natural History,* **1910**: 182.
Class: Bird
Area: SO

1748 **Stout, G.** (1910). Arctic Bluethroat in the Clyde area. *Annals of Scottish Natural History,* **1910**: 182-183.
Class: Bird
Area: CL

1749 **MacGillivray, W.L.** (1910). Dipper in the Island of Barra. *Annals of Scottish Natural History,* **1910**: 183.
Class: Bird
Area: OH

1750 **Murray, G.G.** (1910). Great Spotted Woodpecker in Perthshire. *Annals of Scottish Natural History,* **1910**: 183.
Class: Bird
Area: TA

1751 **Gunnis, F.G.** (1910). Great Spotted Woodpecker in Sutherland. *Annals of Scottish Natural History,* **1910**: 183.
Class: Bird
Area: CS

1752 **Beaumont, W.I.** (1910). An Argyllshire heronry. *Annals of Scottish Natural History,* **1910**: 183.
Class: Bird
Area: AG

1753 **Harvie-Brown, J.A.** (1910). Eider Ducks in Clyde area. *Annals of Scottish Natural History,* **1910**: 183-184.
Class: Bird
Area: CL AG IH

1754 **Gladstone, H.S.** (1910). American Yellow-billed Cuckoo (*Coccyzus americanus*) in Argyllshire. *Annals of Scottish Natural History,* **1910**: 184.
Class: Bird
Area: AG IH

1755 **Bedford, Duchess of** (1910). On visits paid to the Island of N. Rona. *Annals of Scottish Natural History,* **1910**: 212-214.
Class: Mamm Bird
Area: OL

1756 **Taylor, W.** (1910). Note on a neck-bone of *Balaena biscayensis* from the post-tertiary clay of the Moray Firth area. *Annals of Scottish Natural History,* **1910**: 244-245.
Class: Mamm
Area: MO

1757 **Harvie-Brown, J.A.** (1910). Wild Cat in Argyll. *Annals of Scottish Natural History,* **1910**: 245.
Class: Mamm
Area: CL AG

1758 **Harvie-Brown, J.A.** (1910). Wild Cat in Caithness. *Annals of Scottish Natural History,* **1910**: 245.
Class: Mamm
Area: CS

1759 **Henderson, T.** (1910). Whooper Swans breeding in Shetland. *Annals of Scottish Natural History,* **1910**: 245.
Class: Bird
Area: SH

1760 **Harvie-Brown, J.A.** (1910). [Whooper Swans breeding in Shetland]. *Annals of Scottish Natural History,* **1910**: 245.
Class: Bird
Area: SH

1761 **Clarke, W.E.** (1910). Another arrival of Crossbills in Scotland. *Annals of Scottish Natural History,* **1910**: 245-246.
Class: Bird
Area: DE OH SK FI

1762 **Harvie-Brown, J.A.** (1910). Crossbills in Tay. *Annals of Scottish Natural History,* **1910**: 246.
Class: Bird
Area: TA

1763 **Saxby, T.E.** (1910). Albino Wheatear in Shetland. *Annals of Scottish Natural History,* **1910**: 246.
Class: Bird
Area: Gen SH

1764 **Kirk, C.** (1910). Willow Wren nesting on ivy-covered wall. *Annals of Scottish Natural History,* **1910**: 246.
Class: Bird
Area: Gen CL

1765 **Jackson, A.C.** (1910). Greenland Falcons in the Northern Highlands. *Annals of Scottish Natural History,* **1910**: 246.
Class: Bird
Area: CS NW

1766 **Wright, J.P.** (1910). Grey Hen with two broods. *Annals of Scottish Natural History,* **1910**: 247.
Class: Bird
Area: Gen TW

1767 **Gladstone, H.S.** (1910). Woodcocks nesting abundantly in Kirkcudbrightshire. *Annals of Scottish Natural History,* **1910**: 247.
Class: Bird
Area: SO

1768 **Jackson, A.C.** (1910). Black-tailed Godwit in East Ross-shire. *Annals of Scottish Natural History,* **1910**: 247.
Class: Bird
Area: MO

1769 **Jackson, A.C.** (1910). Malformation in a young Curlew's bill. *Annals of Scottish Natural History,* **1910**: 247-248.
Class: Bird
Area: Gen

1770 **Thomson, A.L.** (1910). An unclaimed marked Starling. *Annals of Scottish Natural History,* **1910**: 248.
Class: Bird
Area: Gen FO

1771 **Brown, H.H.** (1910). Nightjar in Argyll. *Annals of Scottish Natural History,* **1910**: 248.
Class: Bird
Area: CL AG

1772 **Clarke, W.E.** (1910). Forfeited eggs of the Golden Eagle. *Annals of Scottish Natural History,* **1910**: 248.
Class: Bird
Area: Gen MO

1773 **Harvie-Brown, J.A.** (1910). Capercaillies in Moray. *Annals of Scottish Natural History,* **1910**: 248.
Class: Bird
Area: MO

1774 **Harvie-Brown, J.A.** (1910). Wrynecks in Tweed. *Annals of Scottish Natural History,* **1910**: 248-249.
Class: Bird
Area: TW

1775 **Harvie-Brown, J.A.** (1910). Great Spotted Woodpecker in Forth. *Annals of Scottish Natural History,* **1910**: 249.
Class: Bird
Area: FO

1776 **Evans, W.** (1910). Nesting of the Gadwall and the Wigeon in "Forth". *Annals of Scottish Natural History,* **1910**: 249.
Class: Bird
Area: FO

1777 **Ramsay, L.N.G.** (1910). Spotted Redshank in "Dee". *Annals of Scottish Natural History,* **1910**: 249.
Class: Bird
Area: DE

1778 **Service, R.** (1910). Sea-Bream in the Solway. *Annals of Scottish Natural History,* **1910**: 249-250.
Class: Fish
Area: SO

1779 **Taylor, W.** (1910). *Lamna spallanzanii* in the Moray Firth - an explanation. *Annals of Scottish Natural History,* **1910**: 250.
Class: Fish
Area: DE

1780 **Clarke, W.E.** (1910). Sea Lamprey in Skye. *Annals of Scottish Natural History,* **1910**: 250.
Class: Fish
Area: NW

1781 **Evans, W.** (1910). The Worm Pipe-Fish (*Nerophis lumbriciformis*) in "Forth". *Annals of Scottish Natural History,* **1910**: 250.
Class: Fish
Area: FO

1782 **Baxter, E.V. and Rintoul, L.J.** (1911). Bird notes from the Isle of May - autumn 1910. *Annals of Scottish Natural History,* **1911**: 1-6.
Class: Bird
Area: FO

1783 **Thomson, A.L.** (1911). Heronries in Dee, etc. *Annals of Scottish Natural History,* **1911**: 7-9.
Class: Bird
Area: DE

1784 **Harvie-Brown, J.A.** (1911). [Recommendations regarding a census of heronries and Herons]. *Annals of Scottish Natural History,* **1911**: 9-10.
Class: Bird
Area: Gen DE

1785 **Regan, C.T.** (1911). The giant Pike of Loch Ken. *Annals of Scottish Natural History,* **1911**: 10-14.
Class: Fish
Area: SO

1786 **Rintoul, L.J. and Baxter, E.V.** (1911). Lesser Shrew in Perthshire. *Annals of Scottish Natural History,* **1911**: 51.
Class: Mamm
Area: TA

1787 **Robinson, H.W.** (1911). Melanic variety of the Orkney Vole. *Annals of Scottish Natural History,* **1911**: 51.
Class: Mamm
Area: OR

1788 **Clarke, W.E.** (1911). [Melanic variety of the Orkney Vole]. *Annals of Scottish Natural History,* **1911**: 51.
Class: Mamm
Area: OR

1789 **Clarke, W.E.** (1911). The birds of St. Kilda. *Annals of Scottish Natural History,* **1911**: 51-52.
Class: Bird
Area: SK

1790 **Harvie-Brown, J.A.** (1911). Bird notes from Tiree. *Annals of Scottish Natural History,* **1911**: 52-53.
Class: Bird
Area: AG IH

1791 **Clarke, W.E.** (1911). Birds observed at Fair Isle during the year 1910. *Annals of Scottish Natural History,* **1911**: 53.
Class: Bird
Area: FI

1792 **McConachie, W.** (1911). Lauderdale bird notes. *Annals of Scottish Natural History,* **1911**: 53-54.
Class: Bird
Area: TW

1793 **Clarke, W.E.** (1911). Bullfinches, Mealy Redpolls and Crossbills in Scotland. *Annals of Scottish Natural History,* **1911**: 54.
Class: Bird
Area: FO SH FI

1794 **Ritchie, R.L.** (1911). The Waxwing in Haddingtonshire. *Annals of Scottish Natural History,* **1911**: 54-55.
Class: Bird
Area: FO

1795 **Harvie-Brown, J.A.** (1911). Persistency in nesting of Song Thrush. *Annals of Scottish Natural History,* **1911**: 55.
Class: Bird
Area: Gen OH

1796 **Gladstone, H.S.** (1911). Albino Wood-Warbler in Dumfriesshire. *Annals of Scottish Natural History,* **1911**: 55.
Class: Bird
Area: SO

1797 **Laidlaw, T.G.** (1911). Hen Harriers in Peebleshire. *Annals of Scottish Natural History,* **1911**: 55.
Class: Bird
Area: TW

1798 **Robinson, H.W.** (1911). Migration of Whooper Swans. *Annals of Scottish Natural History,* **1911**: 55.
Class: Bird
Area: OR

1799 **Nash, J.K.** (1911). Wigeon nesting in Forth. *Annals of Scottish Natural History,* **1911**: 55-56.
Class: Bird
Area: FO

1800 **Editorial note.** (1911). [Wigeon breeding in the Forth area]. *Annals of Scottish Natural History,* **1911**: 56, 117.
Class: Bird
Area: FO

1801 **Gladstone, H.S.** (1911). White Grouse near Alyth. *Annals of Scottish Natural History,* **1911**: 56.
Class: Bird
Area: Gen MO

1802 **Rintoul, L.J. and Baxter, E.V.** (1911). Blue Shark in the Firth of Forth. *Annals of Scottish Natural History,* **1911**: 56.
Class: Fish
Area: FO

1803 **Clyne, R.** (1911). Observations on the rock-breeding birds of the Butt of Lewis, 1910. *Annals of Scottish Natural History,* **1911**: 65-70.
Class: Bird
Area: OH

1804 **Clarke, W.E.** (1911). Blyth's Reed-Warbler (*Acrocephalus dumetorum*) at Fair Isle: an addition to the British avifauna. *Annals of Scottish Natural History,* **1911**: 70-71.
Class: Bird
Area: FI

1805 **Clarke, W.E.** (1911). On the occurrence of Temminck's Grasshopper-Warbler in Orkney. *Annals of Scottish Natural History,* **1911**: 71.
Class: Bird
Area: OR

1806 **Watt, H.B.** (1911). Scottish heronries and a census of Herons. *Annals of Scottish Natural History,* **1911**: 72-75.
Class: Bird
Area: SO TW CL FO TA DE MO

1807 **Gurney, J.H.** (1911). Solamosse Geese. *Annals of Scottish Natural History,* **1911**: 76-77.
Class: Bird
Area: Gen

1808 **Elmhirst, R.** (1911). On some ambicoloured flat-fish from the Clyde. *Annals of Scottish Natural History,* **1911**: 77-79.
Class: Fish
Area: CL

1809 **Gladstone, H.S.** (1911). An old-time vermin list. *Annals of Scottish Natural History,* **1911**: 110-111.
Class: Mamm Bird
Area: Gen CS

1810 **Haldane, R.C.** (1911). Whaling in Shetland 1910. *Annals of Scottish Natural History,* **1911**: 111.
Class: Mamm
Area: Gen SH

1811 **Evans, W.** (1911). White-beaked Dolphins in the upper estuary of the Forth. *Annals of Scottish Natural History,* **1911**: 111-112.
Class: Mamm
Area: FO

1812 **Elmhirst, R.** (1911). Albino Weasel near Loch Awe. *Annals of Scottish Natural History,* **1911**: 112.
Class: Mamm
Area: CL AG

1813 **Alston, C.H.** (1911). A friendly Stoat. *Annals of Scottish Natural History,* **1911**: 112-113.
Class: Mamm
Area: Gen AG

1814 **Gladstone, H.S.** (1911). White Common Hare in Dumfriesshire. *Annals of Scottish Natural History,* **1911**: 113.
Class: Mamm
Area: SO

1815 **Maxwell, H.** (1911). Winter visitors to Wigtownshire. *Annals of Scottish Natural History,* **1911**: 113.
Class: Bird
Area: SO

1816 **Evans, W.** (1911). The Northern Bullfinch, Holböll's Redpoll, etc., in the Lothians. *Annals of Scottish Natural History,* **1911**: 113-114.
Class: Bird
Area: FO

1817 **Macdonald, D.** (1911). Mealy Redpoll and Siskin in Mull. *Annals of Scottish Natural History,* **1911**: 114.
Class: Bird
Area: AG IH

1818 **Evans, W.** (1911). Supposed Cirl Bunting in Sutherland: a mistake in identification. *Annals of Scottish Natural History,* **1911**: 114-115.
Class: Bird
Area: CS

1819 **Blackwood, G.G.** (1911). Notes on a nest of the Snow Bunting. *Annals of Scottish Natural History,* **1911**: 115.
Class: Bird
Area: Gen DE MO

1820 **Tulloch, J.S.** (1911). Siberian Chiff Chaff and Holböll's Redpoll in Shetland. *Annals of Scottish Natural History,* **1911**: 115.
Class: Bird
Area: SH

1821 **Duncan, H.** (1911). The Greater Wheatear in Clyde. *Annals of Scottish Natural History,* **1911**: 116.
Class: Bird
Area: CL

1822 **Ramsay, L.N.G. and Davidson, A.G.** (1911). [Supposed occurrence of the Grasshopper Warbler (*Locustella naevia*) in "Dee"]. *Annals of Scottish Natural History,* **1911**: 116.
Class: Bird
Area: DE

1823 **Rintoul, L.J. and Baxter, E.V.** (1911). Continental form of Willow Warbler and Gt. Spotted Woodpecker on the Isle of May. *Annals of Scottish Natural History,* **1911**: 116.
Class: Bird
Area: FO

1824 **Gladstone, H.S.** (1911). Great Spotted Woodpecker in Solway area. *Annals of Scottish Natural History,* **1911**: 116.
Class: Bird
Area: SO

1825 **Anderson, P.** (1911). Short-eared Owls at Tiree. *Annals of Scottish Natural History,* **1911**: 116-117.
Class: Bird
Area: AG IH

1826 **Davidson, J.** (1911). Hobby and other birds of prey in Moray. *Annals of Scottish Natural History,* **1911**: 117.
Class: Bird
Area: MO

1827 **Editorial note.** (1911). Wigeon breeding at Loch Leven: a correction. *Annals of Scottish Natural History,* **1911**: 117.
Class: Bird
Area: FO

1828 **Blackwood, G.G.** (1911). Wigeon breeding in Roxburghshire. *Annals of Scottish Natural History,* **1911**: 117-118.
Class: Bird
Area: TW

1829 **Gunnis, F.G.** (1911). Capture of marked Wigeon. *Annals of Scottish Natural History,* **1911**: 118.
Class: Bird
Area: CS

1830 **Harvie-Brown, J.A.** (1911). Whimbrels nesting in Sutherland. *Annals of Scottish Natural History,* **1911**: 118.
Class: Bird
Area: CS

1831 **Macdonald, D.** (1911). Opah or King-fish in Mull waters. *Annals of Scottish Natural History,* **1911**: 118.
Class: Fish
Area: AG IH

1832 **Baxter, E.V. and Rintoul, L.J.** (1911). On the occurrence of the Nightingale (*Luscinia megarhynchos megarhynchos*) on the Isle of May: an addition to the avi-fauna of Scotland. *Annals of Scottish Natural History,* **1911**: 132-133.
Class: Bird
Area: FO

1833 **Rintoul, L.J. and Baxter, E.V.** (1911). Report on Scottish ornithology in 1910. *Annals of Scottish Natural History,* **1911**: 133-149, 194-210.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

1834 **Gladstone, H.S.** (1911). An old-time vermin list: a correction. *Annals of Scottish Natural History,* **1911**: 181-182.
Class: Mamm Bird
Area: CS

1835 **Harvie-Brown, J.A.** (1911). [An old-time vermin list]. *Annals of Scottish Natural History,* **1911**: 182.
Class: Mamm Bird
Area: CS

1836 **Ramsay, L.N.G.** (1911). Mealy Redpolls in Aberdeenshire. *Annals of Scottish Natural History,* **1911**: 182.
Class: Bird
Area: DE

1837 **Bonar, H.N.** (1911). Nesting of Pied Flycatcher in East Lothian. *Annals of Scottish Natural History,* **1911**: 182-183.
Class: Bird
Area: FO

1838 **Russell, G.W.** (1911). Icterine Warbler in Shetland. *Annals of Scottish Natural History,* **1911**: 183.
Class: Bird
Area: SH

1839 **Hamilton, D.** (1911). Continental Great Spotted Woodpecker in Aberdeenshire. *Annals of Scottish Natural History,* **1911**: 183.
Class: Bird
Area: DE

1840 **Alston, C.H.** (1911). Wigeon nesting on Loch Awe. *Annals of Scottish Natural History,* **1911**: 183.
Class: Bird
Area: CL AG

1841 **Harvie-Brown, J.A.** (1911). [Wigeon breeding at Loch Awe and Moor of Rannoch]. *Annals of Scottish Natural History,* **1911**: 183-184.
Class: Bird
Area: CL TA AG

1842 **Evans, W.** (1911). Turtle Dove on the Isle of May. *Annals of Scottish Natural History,* **1911**: 184.
Class: Bird
Area: FO

1843 **Harvie-Brown, J.A.** (1911). Extension of the Capercaillie in Moray. *Annals of Scottish Natural History,* **1911**: 184.
Class: Bird
Area: MO

1844 **Harvie-Brown, J.A.** (1911). Gadwall in Barra. *Annals of Scottish Natural History,* **1911**: 184.
Class: Bird
Area: OH

1845 **Jackson, A.C.** (1911). On the occurrence of *Erithacus rubecula rubecula* on south-west coast of Scotland. *Annals of Scottish Natural History,* **1911**: 245.
Class: Bird
Area: SO

1846 **Tulloch, J.S.** (1911). Crossbills at Lerwick. *Annals of Scottish Natural History,* **1911**: 245.
Class: Bird
Area: SH

1847 **Brock, S.E.** (1911). Willow-Wren's nest in an old Song-Thrush's nest. *Annals of Scottish Natural History,* **1911**: 245.
Class: Bird
Area: Gen FO

1848 **Brock, S.E.** (1911). Local variation in song of Tree-Pipit (*Anthus trivialis*). *Annals of Scottish Natural History,* **1911**: 245-246.
Class: Bird
Area: Gen FO MO

1849 **Jackson, A.C.** (1911). *Dendrocopus major major* in East Ross. *Annals of Scottish Natural History,* **1911**: 246.
Class: Bird
Area: MO

1850 **Ritchie, A.T.A.** (1911). Green Sandpiper in the Island of Lewis. *Annals of Scottish Natural History,* **1911**: 246.
Class: Bird
Area: OH

1851 **Dunlop, E.B.** (1911). The breeding range of the Fulmar Petrel (*Fulmarus glacialis*) in the British Isles. *Annals of Scottish Natural History,* **1911**: 246.
Class: Bird
Area: OR

1852 **Anderson, P.** (1911). Increase of Mute Swans in Tiree. *Annals of Scottish Natural History,* **1911**: 246-247.
Class: Bird
Area: AG IH

1853 **Dunlop, E.B.** (1911). King-Fish at Shetland. *Annals of Scottish Natural History,* **1911**: 247.
Class: Fish
Area: SH

1854 **Sawers, J.** (1911). *Alepidosaurus ferox* off St. Kilda. *Annals of Scottish Natural History,* **1911**: 247.
Class: Fish
Area: SK

1855 **Harvie-Brown, J.A.** (1911). Lapwings and Black-headed Gulls. *Annals of Scottish Natural History,* **1911**: 247.
Class: Bird
Area: Gen FO

1856 **Harvie-Brown, J.A.** (1911). Bass in "Scotch Waters". *Annals of Scottish Natural History,* **1911**: 247.
Class: Fish
Area: CS NW AG

1857 **Harvie-Brown, J.A.** (1911). Gannet at lighthouse, Butt of Lewis. *Annals of Scottish Natural History,* **1911**: 248.
Class: Bird
Area: OH

1858 **Berry, W.** (1911). Wood Sandpiper (*Totanus glareola*) in Fifeshire. *Annals of Scottish Natural History,* **1911**: 249.
Class: Bird
Area: TA

1859 **Berry, W.** (1911). Scaup Duck (*F. marila*) in August. *Annals of Scottish Natural History,* **1911**: 248-249.
Class: Bird
Area: TA

1860 **Evans, W.** (1911). Lesser Rorqual (*Balaenoptera acuto-rostrata*) in the Firth of Forth. *Annals of Scottish Natural History,* **1911**: 249.
Class: Mamm
Area: FO

MAMMALS

SCOTLAND - GENERAL
1009 1015 1052 1054 1144 1160 1187 1246 1247 1265 1308 1309
1310 1323 1324 1373 1410 1429 1443 1494 1495 1558 1562 1563
1630 1647 1650 1651 1665 1700 1704 1705 1720 1725 1809 1810
1813

SOLWAY
1025 1052 1054 1133 1135 1144 1164 1244 1336 1562 1630 1665
1814

TWEED
1168 1247 1650

CLYDE
1010 1040 1054 1073 1095 1184 1222 1247 1311 1327 1353 1356
1447 1757 1812

FORTH
1009 1015 1036 1186 1187 1200 1201 1222 1245 1247 1429 1466
1356 1519 1563 1811 1860

TAY
1010 1119 1160 1247 1310 1373 1469 1704 1726 1786

DEE
1185 1186 1187 1247 1269 1289 1308 1414

MORAY
1010 1054 1074 1094 1247 1265 1266 1268 1308 1309 1703 1742
1756

CAITHNESS AND SUTHERLAND
1054 1134 1148 1149 1169 1170 1221 1338 1409 1410 1443 1448
1468 1495 1558 1647 1758 1809 1834 1835

NORTH-WEST HIGHLANDS
1054 1055 1148 1165 1169 1170 1183 1265 1311 1337 1430 1449
1468 1651

ARGYLL
1053 1055 1073 1095 1148 1171 1184 1220 1265 1267 1268
1286 1311 1326 1327 1337 1355 1518 1651 1757 1812 1813

INNER HEBRIDES
1055 1171 1267 1286 1326 1355 1430 1449 1468

OUTER HEBRIDES
1010 1092 1096 1145 1246 1247 1323 1350 1410 1427 1443 1558
1647 1700

ST. KILDA
1092 1246 1247 1323 1351 1370 1410 1443 1558 1647 1720

OUTLIERS
1092 1246 1247 1323 1410 1427 1443 1558 1647 1700 1755

ORKNEY
1092 1246 1247 1306 1323 1328 1349 1354 1372 1408 1410 1443
1558 1629 1647 1787 1788

SHETLAND
1010 1096 1216 1246 1247 1248 1323 1410 1443 1494 1558 1647
1700 1810

FAIR ISLE
1395

BIRDS

SCOTLAND - GENERAL

1013	1018	1029	1044	1062	1099	1104	1124	1128	1138	1141	1144
1156	1160	1173	1174	1175	1180	1190	1194	1213	1231	1239	1242
1265	1273	1288	1295	1298	1299	1308	1309	1314	1362	1367	1380
1387	1390	1401	1407	1413	1424	1436	1438	1452	1454	1472	1484
1494	1500	1505	1508	1516	1521	1522	1527	1542	1550	1551	1553
1561	1565	1576	1581	1586	1593	1608	1618	1620	1638	1640	1641
1642	1659	1660	1666	1667	1672	1674	1675	1680	1688	1690	1717
1718	1728	1741	1763	1764	1766	1769	1770	1772	1784	1795	1801
1807	1809	1819	1847	1848	1855						

SOLWAY

1019	1024	1025	1033	1034	1035	1047	1085	1091	1106	1107	1138
1140	1144	1156	1157	1161	1167	1198	1236	1238	1244	1261	1278
1300	1352	1357	1412	1436	1459	1463	1470	1471	1481	1491	1506
1534	1542	1551	1552	1553	1560	1566	1568	1570	1571	1577	1580
1585	1586	1602	1607	1609	1613	1670	1673	1674	1678	1679	1683
1686	1694	1710	1712	1722	1723	1728	1729	1730	1734	1739	1747
1767	1796	1806	1815	1824	1833	1845					

TWEED

1024	1027	1044	1050	1058	1061	1091	1108	1142	1146	1154	1167
1208	1254	1261	1294	1296	1352	1412	1489	1491	1580	1603	1607
1608	1609	1612	1619	1680	1686	1687	1722	1739	1744	1766	1774
1792	1797	1806	1828	1833							

CLYDE

1016	1017	1024	1028	1086	1091	1121	1122	1152	1162	1167	1178
1182	1249	1253	1256	1261	1271	1285	1290	1314	1315	1334	1352
1360	1384	1399	1400	1401	1412	1422	1433	1436	1461	1491	1492
1499	1502	1510	1524	1568	1573	1580	1607	1609	1617	1622	1654
1671	1672	1682	1686	1723	1739	1748	1753	1764	1771	1806	1821
1833	1840	1841									

FORTH

1012	1016	1024	1042	1043	1045	1058	1059	1060	1062	1064	1066
1068	1077	1079	1091	1097	1100	1126	1137	1146	1147	1151	1167
1188	1207	1212	1230	1236	1240	1250	1251	1252	1258	1261	1270
1277	1283	1284	1292	1293	1295	1299	1302	1312	1314	1316	1320
1333	1342	1343	1352	1363	1375	1376	1377	1386	1404	1406	1412
1415	1420	1425	1452	1457	1458	1472	1478	1485	1486	1491	1492
1496	1497	1498	1503	1505	1508	1511	1522	1529	1530	1532	1538
1551	1556	1565	1574	1576	1580	1582	1587	1588	1589	1592	1596

1599	1604	1607	1608	1609	1618	1619	1620	1627	1632	1636	1639
1640	1649	1658	1659	1669	1675	1680	1684	1686	1701	1702	1711
1713	1714	1715	1716	1722	1723	1731	1733	1737	1739	1746	1770
1775	1776	1782	1793	1794	1799	1800	1806	1816	1823	1827	1832
1833	1837	1842	1847	1848	1855						

TAY

1018	1024	1030	1046	1077	1078	1082	1091	1126	1127	1153	1160
1167	1173	1179	1212	1213	1217	1229	1234	1236	1261	1292	1313
1319	1352	1377	1412	1435	1477	1485	1491	1498	1509	1512	1525
1526	1545	1554	1565	1580	1581	1591	1607	1609	1616	1618	1620
1635	1637	1655	1656	1661	1668	1686	1696	1722	1732	1733	1736
1739	1743	1750	1762	1806	1833	1841	1858	1859			

DEE

1018	1020	1024	1038	1056	1091	1103	1104	1105	1141	1146	1167
1188	1189	1190	1194	1195	1205	1206	1213	1251	1252	1261	1291
1301	1308	1352	1412	1440	1474	1475	1484	1491	1513	1521	1531
1536	1543	1544	1575	1578	1580	1600	1607	1609	1615	1686	1687
1690	1722	1723	1727	1731	1735	1736	1739	1745	1761	1777	1783
1784	1806	1819	1822	1833	1836	1839					

MORAY

1024	1030	1031	1046	1056	1077	1091	1150	1167	1181	1195	1196
1225	1226	1227	1232	1261	1262	1265	1276	1281	1308	1309	1331
1344	1352	1412	1460	1482	1483	1491	1528	1548	1555	1567	1580
1607	1609	1638	1686	1695	1703	1709	1723	1724	1739	1768	1772
1773	1801	1806	1819	1826	1833	1843	1848	1849			

CAITHNESS AND SUTHERLAND

1024	1063	1080	1091	1099	1125	1143	1146	1167	1223	1239	1257
1261	1274	1282	1352	1411	1412	1413	1417	1441	1464	1490	1491
1580	1607	1609	1631	1686	1687	1707	1723	1727	1739	1751	1765
1809	1818	1829	1830	1833	1834	1835					

NORTH-WEST HIGHLANDS

1021	1024	1031	1057	1091	1099	1165	1167	1224	1262	1265	1282
1317	1337	1352	1381	1397	1411	1412	1441	1473	1491	1549	1565
1580	1593	1607	1609	1614	1631	1676	1686	1708	1717	1722	1732
1739	1765	1833									

ARGYLL

1024	1069	1091	1101	1121	1128	1136	1152	1155	1158	1159	1167
1202	1209	1214	1233	1241	1242	1249	1253	1261	1262	1265	1271
1272	1280	1290	1303	1330	1337	1344	1352	1359	1366	1374	1384

1385	1399	1412	1421	1423	1424	1432	1436	1446	1453	1476	1487
1491	1499	1523	1527	1533	1541	1546	1564	1569	1580	1607	1609
1611	1617	1621	1643	1686	1691	1692	1718	1722	1723	1739	1752
1753	1754	1771	1790	1817	1825	1833	1840	1841	1852		

INNER HEBRIDES

1024	1031	1069	1091	1128	1136	1155	1158	1159	1167	1202	1209
1214	1261	1242	1272	1303	1330	1352	1366	1374	1412	1421	1424
1432	1436	1446	1453	1476	1487	1491	1523	1527	1533	1546	1564
1580	1594	1607	1609	1611	1621	1643	1676	1686	1691	1692	1722
1723	1739	1753	1754	1790	1817	1825	1833	1852			

OUTER HEBRIDES

1024	1026	1037	1065	1076	1087	1091	1092	1098	1109	1123	1124
1146	1166	1167	1174	1176	1177	1193	1203	1210	1211	1235	1237
1261	1275	1279	1287	1307	1332	1352	1358	1362	1367	1389	1396
1411	1412	1416	1418	1419	1434	1441	1445	1479	1480	1491	1504
1515	1535	1537	1539	1580	1594	1595	1607	1609	1626	1634	1686
1687	1732	1739	1749	1761	1795	1803	1833	1844	1850	1857	

ST. KILDA

1021	1024	1092	1167	1261	1325	1351	1412	1491	1539	1580	1686
1739	1761	1789	1833								

OUTLIERS

1024	1091	1092	1167	1231	1261	1307	1352	1358	1367	1383	1411
1412	1462	1491	1537	1540	1580	1597	1623	1686	1687	1689	1707
1723	1732	1739	1755	1833							

ORKNEY

1024	1048	1084	1092	1146	1167	1192	1197	1218	1219	1236	1255
1261	1346	1352	1380	1382	1391	1392	1402	1403	1411	1412	1444
1491	1537	1547	1550	1572	1580	1590	1605	1607	1609	1620	1633
1642	1652	1657	1662	1666	1677	1681	1685	1686	1687	1693	1732
1739	1740	1798	1805	1833	1851						

SHETLAND

1011	1024	1032	1041	1049	1075	1081	1083	1091	1102	1110	1120
1139	1146	1167	1172	1180	1191	1199	1204	1228	1261	1263	1264
1288	1297	1298	1318	1329	1339	1340	1341	1345	1352	1361	1364
1365	1368	1378	1379	1388	1390	1398	1405	1412	1437	1438	1439
1442	1450	1451	1456	1488	1491	1494	1501	1507	1516	1537	1580
1598	1601	1607	1609	1653	1686	1687	1697	1706	1739	1759	1760
1763	1793	1820	1833	1838	1846						

FAIR ISLE

1024	1371	1411	1412	1428	1431	1454	1455	1467	1491	1520	1540
1551	1559	1580	1625	1648	1686	1687	1707	1721	1739	1761	1791
1793	1804	1833									

REPTILES

SCOTLAND - GENERAL
1093 1111 1117 1118 1131 1144 1163

SOLWAY
1093 1118 1144 1244

TWEED
1093

CLYDE
1093 1131

FORTH
1093 1163

TAY
1093 1117

DEE
1093 1129

MORAY
1093 1117 1131

CAITHNESS AND SUTHERLAND
1093 1117 1131

NORTH-WEST HIGHLANDS
1093 1111 1117

ARGYLL
1093

INNER HEBRIDES
1093 1131

OUTER HEBRIDES
Nil

ST. KILDA
Nil

OUTLIERS
Nil

ORKNEY
Nil

SHETLAND
Nil

FAIR ISLE
Nil

AMPHIBIANS

SCOTLAND - GENERAL
Nil

SOLWAY
Nil

TWEED
Nil

CLYDE
Nil

FORTH
Nil

TAY
Nil

DEE
Nil

MORAY
Nil

CAITHNESS AND SUTHERLAND
Nil

NORTH-WEST HIGHLANDS
Nil

ARGYLL
Nil

INNER HEBRIDES
Nil

OUTER HEBRIDES
Nil

ST. KILDA
Nil

OUTLIERS
Nil

ORKNEY
Nil

SHETLAND
Nil

FAIR ISLE
Nil

FISHES

SCOTLAND - GENERAL
1014 1039 1051 1072 1132 1239 1304 1583

SOLWAY
1023 1025 1039 1244 1393 1394 1579 1610 1778 1785

TWEED
1014 1039 1583

CLYDE
1014 1051 1067 1072 1090 1215 1808

FORTH
1070 1089 1259 1260 1321 1426 1493 1584 1628 1645 1663 1664
1699 1781 1802

TAY
1014 1039 1051 1243 1259 1347 1557 1624 1644

DEE
1014 1112 1113 1132 1347 1517 1583 1624 1738 1779

MORAY
1039 1051 1116 1132 1719

CAITHNESS AND SUTHERLAND
1014 1039 1072 1088 1115 1132 1239 1304 1856

NORTH-WEST HIGHLANDS
1014 1039 1051 1072 1130 1780 1856

ARGYLL
1014 1039 1051 1072 1322 1465 1606 1621 1831 1856

INNER HEBRIDES
1014 1322 1465 1606 1621 1831

OUTER HEBRIDES
1071 1305

ST. KILDA
1854

OUTLIERS
Nil

ORKNEY
1115 1646

SHETLAND
1022 1114 1335 1348 1369 1514 1698 1853

FAIR ISLE
Nil

To be continued

Part 3: 1901-1925

3b: *Scottish Naturalist* 1912-1925

Dr. J.A. Gibson, Scottish Natural History Library,
Foremount House, KILBARCHAN, Renfrewshire PA10 2EZ.

THE SCOTTISH NATURALIST

Volume 112

2000

List of Contents, 2000

112th Year 2000

Part One

Ecological Observations on *Bombus jonellus* (Kirby) (Hym., Apidae) in Northern Scotland
By Dr. Murdo A. Macdonald 3-14

Ardnahein 1997
By Mr. Frank Newall and Miss Elizabeth B. Rennie 15-34

A Traditional Tale of Wild Boar on Loch Lomondside
By Mr. John Mitchell 35-36

Part Two

The Salmon of the River Gryfe, Renfrewshire
By Mr. Hugh A. Hillan 39-43

Observations on *Bombus soroeensis* (Fabr.) (Hym., Apidae) in Northern Scotland
By Dr. Murdo A. Macdonald 45-53

What to Do for an Adder Bite
By Dr. J.A. Gibson 55-70

Possible Mongoose on the Island of Bute: An old record
By Dr. J.A. Gibson 71-72

Part Three

Vertebrate Zoology in the Scottish Naturalist
Part 3: 1901-1925
3a: *Annals of Scottish Natural History* 1901-1911
By Dr. J.A. Gibson 74-154

THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History* and *The Western Naturalist*

Record of Publication

The Scottish Naturalist and Journal of the Perthshire Society of Natural Science
1871

The Scottish Naturalist
1872-1891

The Annals of Scottish Natural History
1892-1911

The Scottish Naturalist
1912-1939, 1948-1957, 1961-1964

The Western Naturalist
1972-1982

The Scottish Naturalist
1983-date

Published by The Scottish Natural History Library

THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History* and *The Western Naturalist*

112th Year 2000

CONTENTS

2000 - Part 3

Vertebrate Zoology in the Scottish Naturalist
Part 3: 1901-1925
3a: *Annals of Scottish Natural History* 1901-1911
By Dr. J.A. Gibson 75-154

Title-Page and List of Contents 155-157

Published by The Scottish Natural History Library